

CATALOGUE



The world's leading sewing machine manufacturer

We reserve the right to amend, without notice: prices, description and / or details of all products. All prices shown in this catalogue are subject to stock availability.

E & OE. Every effort is made to ensure accurate information and descriptions. However, we will not be held responsible for any errors or omissions.

Index	Page
Sewing Machine Feet and Accessories	2
Sewing Machine / Model Category Identification	3
Sewing Machine Feet	4
Attachments & Accessories	11
AcuFeed Feet	14
Kits	15
Spool Stands	17
Memory Craft 15000/14000/12000/9900/Atelier 9 Accessories	18
Memory Craft 550E / 500E / 450E / 400E / 200E Accessories	19
Memory Craft 11000 / 11000SE Accessories	20
Memory Craft 10001/10000/9700/9500/350E/300E Accessories	21
CoverPro Series - Special Feet and Accessories	22
Memory Craft 1600P Series / HD9 - Special Feet and Accessories	23
Felting Machine Accessories	25
Needles	26
Stabilisers	27
Threads	28
Overlocking Machine Feet and Accessories	29
Hints & Tips	31

Sewing Machine Feet & Accessories

Like sewing machines, feet and accessories are designed to make sewing easier, more professional and therefore more enjoyable.

On the following pages you will find a range of feet and accessories for many of your sewing needs whether creative or practical.

As sewing machine designs have changed over the years so to have the feet and accessories available, so it is important that you check carefully which are suitable for your type of machine.

Sewing machines generally fall into four categories.

Category A

Front loading machines (5mm width - short shank).

Category B

Top loading machines (6.5mm - 7mm width - short shank)

Category C

Top loading machines (7mm width - high shank)

Category D

Top loading machines (9mm width - high shank)

Specialist Machines & Accessories

FM725 & Xpression - Felting Machines

Memory Craft 550E / 500E / 450E / 400E/ 350E / 200E - Dedicated Embroidery Only Machines

Memory Craft 1600P Series / HD9 - Dedicated Straight Stitch Machines

CoverPro Series - Dedicated Cover Stitch Machines

Sewing Machine / Model Category Identification

If you are not sure which items are compatible with your machine and it is not listed in the list of models below, quote your model number to your stockist and they will provide you with the relevant information, or phone the 'Janome Help Line' direct on 0161 666 6006

Cat A	Cat B	Cat C	Cat D
2200XT	525S	ATELIER 3	ATELIER 5
2300XT	CXL301	MC7700QCP	ATELIER 6
423S	DKS30	MC6600P	ATELIER 7
J3-18	DKS100		ATELIER 9
J3-20	DXL603		MC15000
J3-24	HD2200		MC14000
	QXL605		MC12000
	TXL607		MC9450
	XL601		MC9400
	M50QDC		MC9900
	M100QDC		MC9850
	M200QDC		MC8900
	725S		MC8200
	230DC		MC6700P
	740DC		Continental M7P
	780DC		
	4300QDC		
	360DC		
	5060QDC		
	5270QDC		

Sewing Machine Feet

THE EVEN FEED FOOT- WITH QUILTER GUIDE.

One of the most popular Sewing Machine attachments is, without doubt, the Even Feed Foot. Sometimes referred to as the "Walking Foot" this clever attachment is designed with a set of built-in feed dogs (teeth) that grip and advance the upper layer of fabric whilst working in unison with the sewing machine feed dogs as they grip the underside of the fabric. This action helps to prevent layers of fabric from "shifting apart" as they move through the machine.

It's an essential attachment with many benefits.

Fabrics

Use this foot when matching stripes and checks, sewing draylons and velvets, making up knitwear or when sewing long seams on curtains especially if matching patterns. It's also useful when tackling leather, vinyl, or plastics and other difficult to handle materials.

Quilting

It's an absolute must for quilters. Used with the Quilter guide it helps to maintain perfect parallel lines when stitching and keeps the fabric and batting layers from feeding through unevenly.

Choices

Because of its popularity and versatility in many aspects of sewing, Janome have extended the design of the Even Feed Foot to suit the varying needs of their customers.

Standard Closed-Toe Foot

The original Even Feed foot used in many aspects of sewing.

Standard Open-Toe Foot

The Open-Toe version is often preferred by quilters as it allows better visibility of the stitching and needle position.

Convertible Even Feed Foot Set


The Convertible set is the latest addition to the Janome range of Even Feed Feet and is designed with convenient features for the Quilter. The set includes an Even Feed Foot with Closed –Toe, Convertible Open-Toe for extra visibility, a clip-on Ditch Quilting Guide and an Adjustable left/right Quilting Guide. The new construction of these feet makes it easier than ever to set up for all your quilting tasks.

Optional Quilting Guides

The guides included in the new Convertible Even Feed Foot Set are both compatible with all current even feed feet which have a slot at the back cover. Because of this, Janome has also introduced these guides as an individual set for those who already have an even feed foot and just want the added benefit of these guides.

Long Quilting Guide Bar Set

Don't waste time drawing straight lines on your quilt top! The Long Quilting Guide Bar is used to keep lines of quilting straight. The new extra-long format allows spacing up to 4½". The set includes a Guide Bar for left and right placements, and the bars fit most Janome sewing machines.









STANDARD CLOSED-TOE FOOT	CATEGORY A	PART NO.	200310002	PRICE £54.00
	CATEGORY B	PART NO.	200311003	PRICE £54.00
	CATEGORY C	PART NO.	200309008	PRICE £54.00
STANDARD OPEN-TOE FOOT	CATEGORY A	N/A		
	CATEGORY B	PART NO.	200339007	PRICE £54.00
	CATEGORY C	PART NO.	200338006	PRICE £54.00
CONVERTIBLE EVEN FEED FOOT SET	CATEGORY A	N/A		
	CATEGORY B	PART NO.	214517004	PRICE £71.00
	CATEGORY C	PART NO.	214516003	PRICE £71.00
	MC9900 & ATELIER 5 ONLY	PART NO.	202133005	PRICE £71.00
OPTIONAL QUILTING GUIDES	CATEGORY A, B, C & D	PART NO.	214518005	PRICE £29.00
LONG QUILTING GUIDE BAR SET	CATEGORY A, B, C & D	PART NO.	202025003	PRICE £21.00

1/4" RULER FOOT

The %" Ruler Foot was specifically designed to use with quilting rulers for ruler work. The key point of the foot is the %" cup height which moves smoothly alongside the quilting ruler without allowing the ruler to slide over or under the foot. The needle drops %" away from the ruler to create the quilting line.

CATEGORY B CATEGORY C/D	PART NO.	202442000	PRICE	£43.00
(except MC15000, MC9450	PART NO.	202441009	PRICE	£43.00



1/4" SEAM FOOT

A popular foot with patchworkers for that essential $\frac{1}{2}$ " seam. The guide on the foot enables you to sew a perfect $\frac{1}{2}$ " seam every time.

(No patchworker should be without one.)

CATEGORY A	PART NO.	200330008	PRICE	£21.00
CATEGORY B/C	PART NO.	200318000	PRICE	£21.00
CATEGORY D	PART NO.	859814001	PRICE	£21.00



3-WAY CORDING FOOT

The 3-Way cording foot will hold one, two or three fine cords or threads. Because they are attached to the foot, the required design can be easily followed and the cords are perfectly placed. A variety of utility, or embroidery stitches can be sewn over the cords to couch them onto base fabrics. The choice of cord, thread and stitch are all contributory factors to the final effect.

(Another attractive technique for decorative work.)

Amount attractive teeningue for accordance works,				
CATEGORY A	PART NO.	200126009	PRICE	£21.00
CATEGORY B/C	PART NO.	200345006	PRICE	£21.00
CATEGORY D	PART NO.	202085001	PRICE	£21.00



ADJUSTABLE ZIPPER FOOT/PIPING FOOT

The piping foot will have its limitations when using thicker piping including the heavy jumbo cord and this is when the adjustable zipper foot will be invaluable. A screw-on type foot, it can be adjusted to fit snugly against the cord when covering your own piping or when attaching commercial piping.

(An excellent alternative.)				
CATEGORY A/B	PART NO.	200342003	PRICE	£21.00
CATEGORY C	PART NO.	200334002	PRICE	£21.00



APPLIQUE FOOT

When doing appliqué, we often use the standard satin stitch foot or, more recently, the open toe satin stitch foot for greater visibility. However, Janome also has a dedicated "Appliqué Foot" in its range of accessories which really makes this creative task so much easier.

It also has the added benefit of an elevated heal which allows a close satin stitch to be sewn and move more smoothly without being flattened into the fabric. It is also shorter than the other feet making it easier for maneuvering around curves and corners which can sometimes be a little tricky. Beautiful applique results are possible with this clever little foot.

(A great addition to your sewing box)

Note: Because of the elevated heal on this foot it is only compatible with machines that have the extra heal ledge on the foot holder (See diagram)



Heal Ledg


CATEGORY A	PART NO.	802411008	PRICE	£21.00
CATEGORY B / C	PART NO.	202023001	PRICE	£21.00
CATEGORY D	PART NO.	202086002	PRICE	£21.00



Sewing on strung beads and pearls has always been a tedious task but the beading feet now go some small way to alleviating this and to add pleasure to embellishing. Popular for bridal wear, evening wear, smart/casual or craft, the beading foot set is a must for your sewing box. There are two feet in the set for Category B/C machines and two individual feet for Category D machines. The foot with a narrow groove will attach strung beads up to 2mm in diameter. The foot with a wide groove will attach strung beads from 2.5 – 4mm in diameter. These feet can also be used for attaching similar diameter decorative cords for embellishment.

(A definite choice for embellishment

A definite choice for embeni					
CATEGORY A	PART NO.	N/A			
CATEGORY B/C (Set of 2)	PART NO.	200321006	PRICE	£29.00	
CATEGORY D (NARROW)	PART NO.	202097006	PRICE	£21.00	
CATEGORY D (WIDE)	PART NO.	202098007	PRICE	£21.00	





BIAS BINDER FOOT

The bias binder foot is used to apply pre-folded bias binding to the edge of fabric in one easy step. It is equipped with a small funnel to fold and guide the binding over the fabric edge before it reaches the needle and can be used with either zig zag or decorative stitches as well as straight stitch. 10mm – 14mm bias tape can be used.

(Take the bind out of this tricky technique.)					
CATEGORY A	PART NO.	200140009	PRICE	£21.00	
CATEGORY B/C	PART NO.	200313005	PRICE	£21.00	
CATEGORY D	PART NO.	202099008	PRICE	£21.00	



BLIND STITCH FOOT (G)

Blind hemming can sometimes be a little bit tricky so the blind hem foot (G) goes some way to helping improve this technique. The foot has a metal guide in the center and three lines struck on the underside. During blind hemming, the fold of the fabric fits snugly against the guide in the foot for accuracy whilst the lines underneath help to prevent unnecessary slipping. The needle will swing over the metal guide creating slack in the upper tension so that the pick of the stitch is almost invisible.

1	(A	tricky	technique	made	easier.)	

(A tricky technique made easier.)					
CATEGORY A	PART NO.	200130006	PRICE	£21.00	
CATEGORY B/C	PART NO.	825817009	PRICE	£21.00	
CATEGORY D	PART NO.	859807001	PRICE	£21.00	



BORDER GUIDE FOOT

Having problems lining up or evenly spacing your border designs? That problem can now be solved with the help of the Border Guide Foot. The secret of this great new foot lies in its red guide markings. The two sets of vertical red lines are calibrated to allow perfect spacing of rows whilst the horizontal red line matches the needle drop allowing you to accurately line up the start of each new row of stitching

you to accurately line up the start of each new row of (Another very useful addition to your sewing box)

CATEGORY A	PART NO.	N/A		
CATEGORY B/C	PART NO.	200434003	PRICE	£29.00
CATEGORY D	PART NO.	202084000	PRICE	£29.00



BUTTON SEWING FOOT

Quick and easy button sewing with the special button sewing foot. This foot has two bars that attach to the foot shank to provide extra stability and also has a textured, rubber sleeve to hold the button securely in place whilst sewing.

(A must for the sewing box)

(A illust for the sewing box.)				
CATEGORY A	PART NO.	200131007	PRICE	£21.00
CATEGORY B/C	PART NO.	200136002	PRICE	£21.00
CATEGORY D	PART NO.	859811008	PRICE	£21.00



BUTTONHOLE FOOT

This foot makes it possible to sew buttonholes longer than 2.5cm. It is also effective on tight areas such as cuffs where more freedom of movement is required than available with a sliding-type buttonhole foot.

CATEGORY A	PART NO.	940340000	PRICE	£21.00
CATEGORY B/C	PART NO.	820801005	PRICE	£21.00
CATEGORY D	PART NO.	202082008	PRICE	£21.00



BUTTONHOLE FOOT & STABILISER PLATE - LARGE

This new large buttonhole foot allows you to make large buttonholes which is especially useful for coats & jackets. This long buttonhole foot also comes with a stabilizer plate which again is something that is particularly useful for thicker fabrics used for coates etc. as it feeds the fabric evenly to achieve neat buttonholes. The standard buttonhole foot can only accommodate buttons under 1" inch in diameter. The new large buttonhole foot and stabilizer plate can create buttonholes for buttons that are 1" - 2" (25-50mm) in diameter.

 Suitable for MC15000/14000/9450/9400/8900/8200/Atelier 7/Atelier 9/Atelier 5 ONLY

 CATEGORY D
 PART NO.
 202199009
 PRICE
 £82.00



CLEAR VIEW 1/4" SEAM FOOT

Janome has developed this clear view '\s'' seam foot for use with the straight stitch needle plate (centre drop needle position only). This foot allows you to sew '\s'' seam piecing, indispensable for quilt work, using the straight stitch needle plate. You will be sure to enjoy the precise and elegant finish this foot provides for your patchwork piecing. IMPORTANT: MC15000/14000 users can use this foot but must use the right needle position with the straight stitch needle plate.

CATEGORY D	PART NO	202216003	PRICE	£21 00	



CLEAR VIEW QUILTING FOOT AND GUIDE SET

We all know that at times the guide on the 'x" seam foot can be "in the way" and often wish that we could remove it when needed. Well that time has come with the introduction of this set. When you want the benefit of guides for piecing or ditch quilting, these can now be attached and removed as needed to suit the task at hand. This clear view foot allows you to see through to the fabric whilst the red guidelines on it help you to achieve accurate piecing without any obstruction. There is also the added bonus of an oval shaped needle hole which allows needle adjustment for scant 'X" piecing with maximum adjustment of 1mm. Markings on the foot indicate 'X" and 'X" from centre needle drop position with handy cornering markings for both measurements.



(Definitely one for the sewing box)						
	CATEGORY A	PART NO.	N/A			ı
	CATEGORY B/C	PART NO.	200449001	PRICE	£21.00	ı
	CATEGORY D	PART NO.	202089005	PRICE	£21.00	ı

CONCEALED ZIPPER FOOT

Good quality ready to wear garments will often have an invisible zip fitted. These zippers are often neglected by the home dressmaker which is a great pity because they can ensure success every time. Invisible zips are suitable for all fabrics from fine silk jersey through to suit weight wool's and tweeds, once fitted, they will be virtually invisible and will merely look like part of the seam.



(The concealed zipper foot is essential if you want to fit these zips successfully and have that professional finish.)

and nave that provocione				
CATEGORY A	PART NO.	941800000	PRICE	£21.00
CATEGORY B/C	PART NO.	200333001	PRICE	£21.00
CATEGORY D	PART NO.	202144009	PRICE	£21.00

CONVERTIBLE FREE MOTION QUILTING FOOT SET

This clever set is an update on the standard free motion foot. It consists of the Foot Holder and three interchangeable feet offering more convenience, improved operation and added value.

The design of the foot holder offers a quieter more stable movement and means that no lever is placed over the needle clamp screw as with the standard free motion foot. Movement is linked solely with the presser foot bar rather than the needle bar resulting in a quieter operation at higher speeds. In addition, the fabric layers can be moved more easily as there is no delay between ascent of the needle and that of the foot after each stitch. The clearance between the foot and the fabric can now be adjusted with the top screw so that the foot simply skims the surface without impairment.



The three interchangeable feet attach to the holder with a screw for maximum sturdiness and safety. They consist of a Closed-Toe foot, an Open-Toe Foot and a Clear View Foot which is ideal for uneven surfaces and evenly spaced quilting. The Clear View Foot is also designed with 1/8" markings for even spacing when "Echo Quilting" eliminating the need to mark out your fabric beforehand.

(An absolute must for the Quilter)

(All absolute illust for the	ie Quiitei)			
CATEGORY A	PART NO.	N/A		
CATEGORY B	PART NO.	202002004	PRICE	£54.00
CATEGORY C	PART NO.	202001003	PRICE	£54.00
CATEGORY D	PART NO.	202146001	PRICE	£54.00



CUSTOM CRAFTED ZIG-ZAG / SATIN STITCH FOOT (OPEN TOE)

There are certain sewing techniques that often require better visibility of stitches such as quilting, applique, cut work and craft work. The custom crafted foot solves all those problems allowing a much better view of the sewing in progress.

(A handy foot to have.)

(rimanaj root to maron)				
CATEGORY A	PART NO.	N/A		
CATEGORY B/C	PART NO.	200137003	PRICE	£21.00
CATEGORY D	PART NO.	859813000	PRICE	£21.00



The Ditch Quilting Foot is designed with a centre position metal blade. This will follow your seam lines precisely allowing perfect "in the ditch" quilting. Used in conjunction with Janome variable needle positions, it is also perfect for top stitching or under stitching a facing.



CATEGORY A	PART NO.	N/A		
CATEGORY B/C	PART NO.	200341002	PRICE	£21.00
CATEGORY D	PART NO.	202087003	PRICE	£21.00



EDGE GUIDE FOOT

This extremely handy foot can be used on many edge-stitched sewing projects. It allows you to perfectly place stitches along edges and seams. It's great for tucks, hems and fine edge work such as that on lace or ribbon or a decorative edge.

CATEGORY B/C	PART NO.	202147002	PRICE	£21.00	ı
CATEGORY D	PART NO.	202100003	PRICE	£21.00	ı



EMBROIDERY/DARNING FOOT

The embroidery foot is used for 'free hand' embroidery and daming to ensure proper stitch formation, minimize skipped stitches and puckering and also to protect your fingers whilst you move your fabric freely under the needle. Especially beneficial to those just learning how to do free hand embroidery. The open toe version greatly improves visibility of stitches and is especially popular with quilters.

(For that specialized technique).

(For that specialized techniq	ue).			
CATEGORY A	PART NO.	200127000	PRICE	£21.00
CATEGORY B	PART NO.	200349000	PRICE	£21.00
CATEGORY B (Open Toe)	PART NO.	200340001	PRICE	£21.00
CATEGORY C	PART NO.	200325000	PRICE	£21.00
CATEGORY C (Open Toe)	PART NO.	200337005	PRICE	£21.00
CATEGORY D	PART NO.	859839002	PRICE	£21.00



FREE MOTION COUCHING FOOT

Enjoy embellishing your work with cords, strips and yarns by free-motion stitching. Zigzag stitch makes it easy to sew on any line or shape precisely. Two different feet are included to match material thickness.

CATEGORY C/D	PART NO.	202110006	PRICE	£29.00



FREE MOTION QUILTING FOOT EXCLUSIVE FOR MC11000/11000SE/6600P/7700QCP

This new style Free- Motion Quilting foot has been designed to ensure that only minimum pressure is applied to the fabric at the moment the needle penetrates resulting in improved stitch quality. Its simple design means a quieter more stable movement as no lever is placed over the needle clamp screw as with the standard type Free Motion Foot. Movement is linked solely with the presser foot bar resulting in quieter operation at higher speeds. In addition, the fabric layers can be moved more easily as there is no delay between the ascent of the needle and that of the foot after each stitch. The clearance between the foot and the fabric can be adjusted with the top screw so that the foot simply skims the surface without impairment.



Free-Motion Quilting Foot Set				
	PART NO.	200442004	PRICE	£29.00



FRINGE FOOT

The Fringe Foot, sometimes referred to as the "Tailor-Tacking Foot", has a raised bar at the front which causes the thread to stand away from the fabric. Using a simple zig-zag stitch you can create beautiful surface texture, custom trims, fringed flowers and appliqués or use it to create traditional tailors tacks.

If using it for tailor tacking, once the thread loops are formed, pull the fabric slightly apart and cut. What you will have is perfect thread markings on your fabric. (A definite choice for creative and practical work)

CATEGORY A	PART NO.	N/A		
CATEGORY B	PART NO.	200017109	PRICE	£21.00
CATEGORY C	PART NO.	200016108	PRICE	£21.00



GATHERING FOOT

This particular gathering foot is only recommended for light to medium weight fabrics and not for furnishing fabrics. Only a very slight gather is achieved with this foot, for a more effective gather we recommend the Ruffler Attachment. (See page 11)

(Nice to have the choices.)				
CATEGORY A	PART NO.	200124007	PRICE	£21.00
CATEGORY B/C	PART NO.	200315007	PRICE	£21.00
CATEGORY D	PART NO.	202096005	PRICE	£21.00



HD ROLLER FOOT

This innovative new foot can smoothly control materials such as leather and vinyl which are prone to catch in the feed dogs. When using this foot, the base of the needle is clearly visible, making your work easier.

Not suitable for MC6600P & MC7700Q	םי

	NOT SUITABLE TOT INCOUDE	G MICTIONGOI			
ſ	CATEGORY C/D	PART NO.	202418007	PRICE	£38.00



The hemmer foot, sometimes referred to as the rolled hemmer is used to stitch the narrow rolled hems usually found on shirt tails, table linens and along the edge of frills. The hemmer is designed with a scroll shaped feeder on top and a straight groove on the underside which determines the width of the finished hem.

There are three different sizes of hemmer foot available. The standard 2mm hemmer foot is for lightweight fabrics. The 4mm and 6mm hemmer feet are for medium to heavier fabrics.

(/	4 nice addition to the sewing i	DOX.)			
Н	EMMER FOOT 2mm				
С	ATEGORY A	PART NO.	200128001	PRICE	£21.00
С	ATEGORY B/C	PART NO.	820809014	PRICE	£21.00
Н	EMMER FOOT SET 4mm / 6m	m			
С	ATEGORY A	PART NO.	N/A		
С	ATEGORY B/C	PART NO.	200326001	PRICE	£29.00
Н	EMMER FOOT				
С	ATEGORY D (6MM)	PART NO.	202080006	PRICE	£21.00
С	ATEGORY D (4MM)	PART NO.	202081007	PRICE	£21.00



PINTUCK FOOT

Pintucks are often associated with Heirloom Sewing especially children's clothes and christening gowns. But they can also give a whole new dimension to other aspects of sewing such as bed linen, table linen and other home furnishings. Pin tucks are tiny 'false tucks' created by sewing parallel rows of stitching using a 2mm twin needle. Using a Pin Tuck foot with the twin needle helps to space the tucks an equal distance apart. It has multiple grooves on the underside through which the pin tucks can ride as you sew the adjacent rows.

Category A machines has 5 grooves.

Category B/C machines there is a set of two feet, one 7 groove and one 5 groove. Category D machines there are two individual feet, one 7 groove and one 5 groove.

Both feet are suitable for standard and corded pin tucks.

(A definite	choice for	decorative	work.)
0175005			DADTA

CATEGORY A	PART NO.	200328003	PRICE	£21.00
CATEGORY B/C	PART NO.	200317009	PRICE	£29.00
CATEGORY D (NARROW)	PART NO.	202094003	PRICE	£21.00
CATEGORY D (WIDE)	PART NO.	202093002	PRICE	£21.00



If ready-made piping cord is not available or if you just want to make your own, the piping foot is ideal for the job. The piping foot (sometimes mistakenly referred to as the cording foot) is designed with two grooves on the underside and will hold and cover the cord when making piping tape. It can also be used for attaching piping. Maximum cord size 5mm. For larger cord size see 'Adjustable Zipper Foot'.

(Helps to achieve that professional finish.)

(o.bo to domoro mat b.				
CATEGORY A	PART NO.	N/A		
CATEGORY B/C	PART NO.	200314006	PRICE	£21.00
CATEGORY D	PART NO.	202088004	PRICE	£21.00



RIBBON/SEQUIN FOOT

As with beads and pearls it is now so much easier to attach ribbons and even sequins with the help of our special ribbon/sequin foot. This foot is designed with guides through which ribbon or strung sequins can be inserted and it will allow them to feed through evenly as you sew. Ribbon width 3mm - 7.5mm

(Embemsimient couldn't	be easier or more run.)				
CATEGORY A	PART NO.	N/A			
CATEGORY B/C	PART NO.	200332000	PRICE	£21.00	
CATEGORY D	PART NO.	202090009	PRICE	£21.00	



ROLLER FOOT

As its name suggests this foot has rollers that roll against the fabric and act very much like the track on a bulldozer for sewing up and over heavy seams and uneven surfaces. Ideal for sewing heavy fabrics the rollers move freely between the foot and the feed dogs so that the foot rides easily over varying thicknesses. Also used to sew sticky leathers and vinyl.

ssihly he without on

(How call you possibly i	be williout one:)			
CATEGORY A	PART NO.	200142001	PRICE	£21.00
CATEGORY B/C	PART NO.	200316008	PRICE	£21.00



SLIDING GUIDE FOOT

This foot is ideal for seaming with a 5/8" allowance, and the adjustable seam guide allows precise edge stitching and hemming.

CATEGORY B/C	PART NO.	202218005	PRICE	£29.00
CATEGORY D	PART NO.	202293004	PRICE	£29.00



STRAIGHT STITCH FOOT

Why do we need a straight stitch foot?

The straight stitch foot is often used on very fine or very heavy fabrics. This particular foot is flat on the underside to provide an even pressure against the feed dogs and it has a round needle hole which offers the benefit of more support around the needle to revent skinped stitches and purkering. It must be used in a centre peedle position

prevent skipped stitches an	a packering. It must be	useu iii a centre	needle posi	UOH.
CATEGORY A	PART NO.	200125008	PRICE	£21.00
CATEGORY B/C	PART NO.	200331009	PRICE	£21.00
CATEGORY D	PART NO.	202083009	PRICE	£21.00



STRAIGHT STITCH NEEDLE PLATE

The straight stitch needle plate is designed with a round needle entry hole which offers the benefit of more support around the needle. This can be extremely useful when using delicate fabrics and when doing straight stitch free motion embroidery. To be used with centre needle position only.

This needle plate is not available for all models, so it is important to state model number when ordering. Prices will vary according to model of machine.



TAPING GUIDE FOOT

Use this foot for attaching tape to the edge of fabrics. Adjust the needle drop position with the thumb screw. Guide the fabric with the left hand and tape with the right hand.

CATEGORY B/C	PART NO.	202311009	PRICE	£29.00
CATEGORY D	PART NO.	202310008	PRICE	£29.00



ULTRA GLIDE FOOT

The ultra glide foot is molded from a special resin allowing easier sewing of fabrics that may otherwise stick to the standard metal foot i.e. ultra suede, vinyl, faux leather, plastic attractions.

(Another handy foot for your sewing box.)

CATEGORY A	PART NO.	200141000	PRICE	£21.00
CATEGORY B/C	PART NO.	200329004	PRICE	£21.00
CATEGORY D	PART NO.	202091000	PRICE	£21.00



ULTRA GLIDE NEEDLE PLATE & ULTRA GLIDE FOOT

Molded from a special resin that allows easier sewing of sticky materials, the ultra glide foot moves smoothly over faux leather, ultra suede, vinyl and even plastics on the ultra glide needle plate. This non-stick attachment glides along with no drag so you can sew on these surfaces just like they were regular fabric.







Attachments & Accessories

BOBBINS PLASTIC - (PACK OF 10)

Plastic bobbins suitable for all Janome machines. There is no generic plastic bobbin which will fit all makes of machines, consequently there are several different sized bobbins on the market. Using the incorrect size and type of bobbin in your machine can affect stitch quality and could possibly cause damage to your bobbin case and machine. Only use Janome bobbins in your Janome machine and never use metal bobbins in top loading / drop in bobbin machines

PART NO. 200122005 PRICE

BUTTON SHANK PLATE

When attaching buttons to thicker fabric, such as when making a coat or tailored jacket, you need to make a 'shank' for the button to prevent it from pulling on the fabric. The Janome Button Shank Plate is ideal for this task. When sewing on the button, the Shank Plate is placed between the button and the fabric.

(An ideal solution)

PART NO.	832820007	PRICE	£9.00



BUTTONHOLE STABILISER PLATE

Supports and holds fabric for extra stability when sewing buttonholes and bar tacks on uneven thicknesses or hard-to-feed fabrics such as wool or knits

IMPORTANT: compatible with all Janome automatic buttonhole feet R with hollow on underside

PART NO.	200428004	PRICE	£29.00



CARRY BAG - MACHINE

This stylish Houndstooth sewing machine carry bag, with a front pocket to store a foot control and accessories, perfect for transporting sewing machines. This storage bag offers convenience and quality coupled with an attractive and stylish appearance. Internal Dimensions: W 41cm x D 19cm x H 30cm

PART NO.	SMB1	PRICE	£49.00



CARRY BAG - OVERLOCKER

This stylish Houndstooth overlocker carry bag is perfect for storing and transporting your overlocker machine. This lightweight bag is a must have accessory, it keeps the machine safe and secure. There is plenty of space to store a foot control and instruction manual. The carry bag will fit all Janome 4 thread overlockers.

Internal Dimensions: W 31cm x D 30cm x H 33cm

PART NO.	OLB1	PRICE	£43.00




CIRCULAR ATTACHMENT

The circular stitcher is the ideal attachment for sewing circles using either straight stitch, zig-zag, decorative stitches or even lettering. Circles 5cm to 26cm in diameter are stitched perfectly using this very popular attachment so essential for craft and decorative

(No more drawing round plates and saucers!)

Suitable for models with a square shaped plastic hook cover.	PART NO.	202107000	PRICE	£54.00
Suitable for models with oblong shaped hook cover – 2 lugs	PART NO.	202106009	PRICE	£54.00
Suitable for models with oblong shaped hook cover – 3 lugs / easy set bobbin	PART NO.	202135007	PRICE	£54.00



Please check with your dealer or our spares dept, if unsure - not suitable for front loading machines.

DOUBLE END MARKER PEN - (WATER ERASABLE)


A felt tip marker pen that fades away in a few days without water or will disappear immediately with water. It is important to test it on your fabric before using. Do not iron over marks as it could set them and prevent them from being removed. The marker pen is perfect for marking the positions for your embroidery designs and lettering.


PART NO. 917081000

EXTENSION TABLES

Janome has a range of Extension Tables to fit many of their sewing machine models. An extension table fits snugly against your sewing machine giving a larger work surface and providing extra support for all your sewing and quilting projects.

It is important to quote your model number when enquiring about an extension table for





FLOWER STITCH ATTACHMENT

This is a longtime favourite attachment and one we are pleased to see back on our range. Using the Flower Stitcher is one time when "running around in circles" will be both fun and creative. It will utilize many of your zig-zag stitch patterns to create miniature floral designs from "%" to "%" in diameter depending on the zig-zag width of your machine. Use it to decorate your fabrics especially for table linens and bed linens, cushions, bags, jackets and jeans, in fact anything and everything.

Note: It is advisable to support your fabric with a stabiliser when using the Flower Stiftch Attachment.

The Flower Stitch Attachment will fit all Janome Short Shank machines with a drop feed facility.

CATEGORY A / B only	PART NO.	202261003	PRICE	£26.00

^{*} Not suitable for XL601 / DXL603 / QXL605 / TXL607

NEEDLE THREADER / NEEDLE INSERTER

One end of this accessory has a hook which enables easier needle threading and the other end has a hole which you can drop your needle into making it easier to hold whilst you insert it into the machine

PART NO. 200347008 PRICE	£16.00
--------------------------	--------

OPTIC MAGNIFIERS

When you need to get a closer view, attach the magnifier to make it easy to see the tiniest detail under the needle. Useful when threading, adjusting the position of the

labric, and carrying out detailed work.				
MC12000/DKS100/DKS30	PART NO.	202129008	PRICE	£16.00
Single lens 20x				
MC9900/MC9400/MC8900/MC8200/				
Atelier Range	PART NO.	202130002	PRICE	£35.00
Three lenses 20x 40x 60x				

PATTERN WEIGHTS

Set of four Janome branded pattern weights. Each round pattern weight is 50mm in diameter.

ſ	PART NO.	JPW01	PRICE	£16.00

PIN CUSHION

When you are sewing or quilting, you always need your pins nearby.

Janome has come up with a pincushion that mounts on the top of your machine. You can always find it, reach it and you'll never knock it on the floor.

This red and white pincushion fits Janome models that accept an additional Spool Pin Holder.

PART NO.	202256016	PRICE	£9.00

PINTUCK CORD GUIDES

Pintucks with a cord are more distinctive and are made by stitching over perle cotton to give a more raised effect. Corded pintucks are made that much easier with the use of the Pintuck Cord Guides. They are a clear plastic bobbin cover designed with a guide attached to them to feed the perle cotton through as you sew. There are two in the pack, one for cord up to 1.5mm in diameter and one for cord from 1.5 – 2.5mm in diameter.

(A perfect combination with the pintuck feet)

Suitable for models with a square shaped plastic hook cover.	PART NO.	200324009	PRICE	£26.00	
Suitable for models with oblong shaped hook cover – 3 lugs / easy set bobbin	PART NO.	202213000	PRICE	£26.00	
Suitable for models with oblong shaped hook cover – 2 lugs	PART NO.	503813008	PRICE	£26.00	
Please check with your dealer or our spares dept. if unsure – not suitable for front loading machines					


QUILT BINDER SET

The Quilt Binder Set is the perfect accessory for quick and trouble-free binding, with a superior design based on industrial binding attachments. The cone on the front of the fabric holder feeds and folds fabric for a $\frac{1}{2}$ finished binding. Two upper screws on the binding allow you to adjust the fold of the fabric - set them at the same length for a straight stitch, or set the bottom a bit further than the top for a blanket stitch.

MC6500/6600/7700QCP/11000/11000SE	PART NO.	846421007	PRICE	£142.00
MC15000/14000/12000/9900/9400/ 8900QCP-SE/8200QCP-SE/ Atelier9/ Atelier7/Atelier5	PART NO.	202211008	PRICE	£142.00

RIBBON SEWING GUIDE

A great addition for Creative Crafts and Embellishing is the Ribbon Sewing Guide. Make your own original ribbons by adding decorative stitching or lettering. Whether used for fashion, craft, and home furnishings or for wrapping that special gift, you can add originality to all your projects. The Ribbon Sewing Guide allows you to create original ribbons up to 25mm width.



PART NO. 200444408	PRICE	£35.00
--------------------	-------	--------





















ROTARY EVEN FOOT AND ATTACHMENTS

For use with most sewing machines, the rotary foot is effective for preventing stretchy fabrics, jersey and knitted fabrics and hard feed materials, like leather or vinyl from slipping or puckering.

The attachments provided with the foot include:

- Bias-tape sewing attachment this is adjustable and enables you to attach folded bias tape up to 20mm wide.
- Blind Hem attachment this enables accurate feeding of the fabric to achieve a consistent blind hem.
- Wide Rolled Hem attachment this enables wide rolled hems to be sewn in the following sizes, ½", ¾" and 1".

All of the attachments are used whilst sewing with the even foot giving accurate feeding of any type of fabric.

CATEGORY A / B / C ONLY	PART NO.	3237777	PRICE	£65.00

RUFFLER ATTACHMENT

Rufflers have been around for a very long time and have changed very little over the years, they have however remained very popular. They are designed to ruffle or pleat fabric to the desired fullness quickly and easily and have the capability to vary the sizes of ruffles.

It is important to note that they are not suitable for heavy furnishing fabrics.

CATEGORY A / B / C * PART NO. MC6600P / MC7700QCP PART NO. CATEGORY D PART NO.	943100000	PRICE	£54.00
	846415008	PRICE	£54.00
	202095004	PRICE	£76.00

^{*} Not suitable for MC6600P / 7700QCP



The seam ripper is a wonderful accessory and a must for your sewing room. It is a small tool designed to make a quick and easy job of unpicking stitches. Used also to slash open buttonholes it really is a very handy tool.

An absolute must for your sewing box.

F	PART NO.	200133009	PRICE	£4.40

SPOOL HOLDER (SPECIAL)

Have you had time when you're putting a long spool on the horizontal spool stand but the spool pin is short, and the spool holder can't be attached? Janome has come up with a solution for this by developing a new spool holder. The "Spool Holder (special)" is specifically for long spools.

PART NO. 202233006 PRICE £5.00

Special Holder (Special)

SPECIAL BOBBIN HOLDER FOR FREE-MOTION QUILTING

Pre-set with lower tension, this optional Bobbin Holder has the same structure as your original one but with the tension pre-set approximately 40% lower helping to produce neater stitching on the underside of your quilts.

The lower bobbin tension also gives more control for improved results with such specially applications as "Hand Look Quilting" and is also ideal for "Ribbon Work" where thicker threads are used on the bobbin.

The blue marking on the top of this optional Bobbin Holder allows for easy identification from the standard one which has a red marking.

(A popular option)

Suitable for top loading machines without auto thread cutter (Scissor Button) - excluding models MC10001/MC10000/MC9700/MC9500/MC900/MC90/MC9	PART NO.	202006008	PRICE	£40.00
Suitable for top loading machines with auto thread cutter (Scissor Button)	PART NO.	200445007	PRICE	£40.00
Suitable for models - M50 / MXL50 / 360DC / 230DC / 5060QDC ONLY	PART NO.	858570102	PRICE	£40.00







AcuFeed Feet

The Memory Craft 6600P was the first Janome Sewing Machine to incorporate the "AcuFeed System" and has now been joined by the Memory Craft Horizon 15000, 14000, 12000, 9450, 9400QCP, 8900QCP, 8200QC, 7700QCP, 6700P, Atelier 9, 7 & 6 and Continental M7P. The AcuFeed Lavered Fabric Feeding System perfectly guides your fabric from both the top and bottom. Only Janome integrates a built-in walking foot with a unique seven piece feed dog structure to ensure your sewing and guilting is always even, smooth and precise on all types of fabric and in all types of applications. These machines are styled for those bigger projects such as home furnishings, bridal wear and guilting. They are both long-arm machines designed with unique automatic thread cutters, knee lifters and many more wonderful features. As with all sewing machines they have a range of optional feet many of which can be found in the general sewing feet section at the front of this catalogue.







To further improve the benefits of the AcuFeed System Janome has also introduced the following specialised "AcuFeed Feet".

ACUFEED 1/4" SEAM FOOT AND NEEDLE PLATE

A popular foot with patchworkers for that essential ½" seam. The guide on the foot enables you to sew a perfect ½" seam every time while the AcuFeed system guides your fabric precisely from both the top and the bottom.

The small hole in the needle plate helps to support the fabric preventing it from being pushed under.

MC6600P ONLY	PART NO.	846407007	PRICE	£43.00





ACUFEED 1/4" SEAM FOOT (PIECING FOOT)

A popular foot with patchworkers for that essential ½" seam. The guide on the foot enables you to sew a perfect ½" seam every time while the AcuFeed system guides your fabric precisely from both the top and the bottom.

The small hole in the needle plate helps to support the fabric preventing it from being

pushed under.				
MC7700QCP / MC6600P ONLY	PART NO.	202031002	PRICE	£29.00
CATEGORY D (with Acufeed)	APRT NO.	202125004	PRICE	£29.00



ACUFEED DITCH QUILTING FOOT

A useful addition to the range of AcuFeed Feet is the Ditch Quilting Foot. When you need a perfectly straight "stitch in the ditch", this is the foot to choose. The guide on the foot spreads the seam allowing you to stitch perfectly in the ditch.

Used with the Janome variable needle position it is also perfect for top stitching or under

stitching of facings.					
MC7700QCP / MC6600P ONLY	PART NO.	846413006	PRICE	£29.00	
CATEGORY D (with Acufeed)	PART NO.	202103006	PRICE	£29.00	



ACUFEED OPEN TOE FOOT

There are certain sewing techniques that often require better visibility of stitches such as quilting, appliqué, cut work and craft work. The AcuFeed Open Toe Foot will solve all those problems allowing a much better view of the sewing in progress whilst guiding the fabric smoothly and evenly.

labile silloutily and evenly.				
MC7700QCP / MC6600P ONLY	PART NO.	846410003	PRICE	£29.00
CATEGORY D (with Acufeed)	PART NO.	202149004	PRICE	£29.00



ACUFEED STRAIGHT STITCH FOOT

This foot combines AcuFeed's perfect feeding system with a small needle hole to hold fabric firmly and create beautiful stitches.

CATEGORY D (with AcuFeed)	PART NO.	202102005	PRICE	£29.00
CATEGORT D (WILLI ACUFEEU)	PARTINO.	202102003	PRICE	129.00



AcuFil QUILTING KIT

This amazing AcuFil™ Kit allows you to perfectly stipple your quilts or quilting projects giving you that professional quilted finish. If you are not a confident free motion quilter, no worries let the machine and software do all the work for you.

AcuFil™ Kit contains: Hoop ASQ22 - 220 x 220mm (8.7" x 8.7"), Magnetic Clamps, AcuFil™ Tool. Over 70 Embroidery Quilting Designs

Each kit features the AcuFil™ design collection including Quilting Designs. Printing templates for precise positioning. Calculator functions for easy all-over quilting design layout on any size quilt.

MC12000 V1.10 ONLY	PART NO.	859428004	PRICE	£299.00
MC14000 ONLY	PART NO.	862412005	PRICE	£299.00

JANOME SECTION SECTION

JANOME

AcuFil QUILTING KIT - MC500E & MC400E ONLY

This amazing AcuFil™ Kit allows you to perfectly stipple your quilts or quilting projects giving you that professional quilted finish. If you are not a confident free motion quilter, no worries let the machine and software do all the work for you. AcuFil™ Quilting Kit includes: Hoop ASQ18b - 184mm x 184mm (7.2" x 7.2"), Magnetic Clamps, AcuFil™ Tool, Over 100 Embroidery Quilting Designs.

Each kit features the AcuFil™ design collection including Quilting Designs. Printing templates for precise positioning. Calculator functions for easy all-over quilting design layout on any size quilt.

PART NO.	864402008	PRICE	£329.00



CRAFTING AND HOME DÉCOR ACCESSORY KIT

The Crafting and Home Décor Accessory Kit contains a large selection of feet & attachments to help make your projects look professional with ease.

Suitable for 9mm / Category D models

Accessory Kit Includes: Border Guide Foot (FB), Circular Sewing Attachment, Free Motion Couching Foot, Piping Foot (I) & Ribbon Sewing Guide

PART NO.	JHD1	PRICE	£153.00



ESSENTIAL HOOP (RE18) KIT - MC15000, MC14000 & MC12000 ONLY

The Essential Hoop will make your sewing and embroidery life more enjoyable. This kit comes with the RE18 hoop and a USB flash drive with 50 embroidery designs loaded on it. Embroidery area: 140 x 180mm (5.5 x 7 inches)

IMPORTANT: Compatible with MC15000 Version 1.20 / MC12000 Version 1.20. (Updates available on www.janome.co.uk website)

PART NO. 862407007 PRICE £87.00



FASHION AND FINISHING ACCESSORY KIT

This Fashion & Finishing Accessory Kit contains a good variety of feet to assist in making your fashion projects look professional with ease. Also included are handy Jump Start Project + Foot info with tips.

Suitable for 9mm / Category D models:

Accessory Kit Includes: Beading Foot Narrow Groove (L1), Beading Foot Wide Groove (L2), Concealed Zipper Foot (2), Edge Stitch Foot (SE), Gathering Foot (V), Hemmer Foot 6mm (D1), Hemmer Foot 4mm (D2), Ribbon/Sequin Foot (RS)

PART NO.	JFS1	PRICE	£131.00



QUILTING ACCESSORY KIT

The Janome Quilting Accessory Kit has been specially designed for the Janome **DKS100** and **DKS30** Sewing Machines.

Janome Quilting Kit Includes: Craft/Applique Foot - Open Toe, Free Motion Foot - Open Toe, Walking Foot - Open Toe, Ditch Quilting Foot, 1/4" Seam Foot, Extension Table (16" x 11")

PART NO.	JQ6	PRICE	£142.00



QUILTING ACCESSORY KIT

The Janome Quilting Accessory Kit has been specially designed for the Janome machine models:

DXL603, QXL605, TL607 & XL601

Janome Quilting Kit Includes: Craft/Applique Foot - Open Toe, Free Motion Foot - Open Toe, Walking Foot - Open Toe, Ditch Quilting Foot,

1/4" Seam Foot, Extension Table (16" x 11")

PART NO. JQ2 PRICE £142.00



QUILTING ACCESSORY KIT

The Janome Quilting Accessory Kit has been specially designed for the Janome 9mm model machines:

MC9900, Atelier 9, 7, 6 & 5.

Janome Quilting Kit Includes: Craft/Applique Foot, Convertible Free Motion Quilting Foot Set, Clear View Quilting Foot & Guide Set, Ditch Quilting Foot, Satin Stitch Foot – Open Toe, Extension Table (16" x 11")

PART NO. JQ7 PRICE £203.00



QUILTING ACCESSORY KIT

The Janome Quilting Accessory Kit has been specially designed for the Janome **Atelier 3** Sewing Machine.

Janome Quilting Kit Includes: Craft/Applique Foot - Open Toe, Free Motion Foot - Open Toe, Walking Foot - Open Toe, Ditch Quilting Foot,

1/4" Seam Foot, Extension Table (16" x 11")

PART NO. JQ8 PRICE £203.00



RULER WORK KIT

Designed by ruler guru Leonie West, this six piece template set will work perfect with the valonmer ruler foot for your machine! Included is a DVD with instructions on how to make your very own Ruler Travel Folder taught by none other than Leonie West herself! This kit is made up of six unique rulers with instructions on how to properly use each

Kit includes: Spin E Fex, Simple Pointed Oval, Oval Clam Shell, Hearts of Plenty, 6" Arc, straight ruler and even a 8.5" cross hair square block marking tool.





Spool Stands

SPOOL STAND - MC7700QCP / MC8200QCP+SE / MC8900QCP+SE

This spool stand keeps the thread feeding smoothly especially when using cone shaped spools. The vertical arm of the thread stand lifts the thread higher than the machine which then facilitates an even feed without added tension. Attaches easily to the machine.

(A nice addition)

(A fince addition)	,			
2 THREADS	PART NO.	858402009	PRICE	£54.00



SPOOL STAND -

MC15000/MC14000/MC12000/MC9900/MC9400/MC550E/MC500E/MC400E/Atelier Srs

The spool stand attaches easily to the handle of your machine. Keeps the thread feeding smoothly especially when using cone shaped spools. The vertical arm of the thread stand lifts the thread higher than the machine which then facilitates an even feed without added tension.

(A nice addition)

2 THREADS	PART NO.	859429016	PRICE	£54.00
5 THREADS	PART NO.	859430009	PRICE	£76.00





SPOOL STAND - MC10001 / MC10000 / MC9700 / MC9500

The Spool Stand keeps multiple colours of thread feeding smoothly during embroidery especially when using cone shaped spools. The vertical arm of the thread stand lifts the thread higher than the machine which then facilitates an even feed without added tension. Attaches easily to the machine.

(A nice addition)





SPOOL STAND - MC11000SE / MC11000

This spool stand keeps the thread feeding smoothly especially when using cone shaped spools. The vertical arm of the thread stand lifts the thread higher than the machine which then facilitates an even feed without added tension. Attaches easily to the machine.

(A nice addition)

5 THREAD	PART NO.	860406000	PRICE	£76.00

Memory Craft 15000 / 14000 / 12000 / 9900 / Atelier 9

These amazing machines come with almost everything but here are a few extras you might like to try.

CLOTHSETTER / TABLE

The optional clothsetter gives placement accuracy. The Clothsetter is indispensable for accurate positioning of a single design within any one individual hoop, as well as accurate matching when stitching larger designs that require multiple hoopings.

PART NO. 859439008 PRICE £109.00

EMBROIDERY COUCHING FOOT SET

Embellish your embroidery projects with the addition of yarn, now more easily than ever with the Embroidery Couching foot.

With the update of the Horizon Memory Craft 15000 V2.10, your machine now has the ability to stitch Embroidery Couching Designs. There are 8 designs that come with the Horizon Memory Craft 15000 v2.10 update.

The Embroidery Couching foot set comes with 2 different yarn weights, as well as a yarn guide arm that attaches to the extra spool pin hole on the top of the machine.

The PC-1 foot, for light size yarn; or PC-2 foot, for medium size yarn.

Please note MC14000 & Atelier 9 this set comes as standard

MC15000 PART NO. 202297008 PRICE £40.00

FREE ARM EMBROIDERY HOOP FA10a - MC9900 / Atelier 9 ONLY

The tiny Free Arm Hoop, just 7.9" x 11" (100mm x 40mm), allows you to embroider in tight places like cuffs and shirtsleeves without taking the item apart.

PART NO. 861402205 PRICE £54.00

HAT HOOP

Add creative embroidery to caps and visors with this very clever hat hoop. (A clever attachment)

(Used in conjunction with the SQ14 Hoop / MC15000, MC14000, MC12000 ONLY).

PART NO. 859436005 PRICE £219.00

PROTECTIVE SHEETS

This set includes two protective sheets. They protect the free arm top from scratches by embroidery hoops or other hard objects.

The smaller sheet is a spare to replace the one included in the standard accessories.

PART NO. 859434003 PRICE £16.00











AcuFeed Feet - See page 14 Spool Stand - See page 17

Memory Craft 550E / 500E / 450E / 400E

CLOTHSETTER TABLE

The optional clothsetter gives placement accuracy. The clothsetter is indispensable for accurate positioning of a single design within any one individual hoop, as well as accurate matching when stitching larger designs that require multiple hoopings.

PART NO. 859439101 PRICE £109.00



EMBROIDERY COUCHING FOOT SET

Embellish your embroidery projects with the addition of yarn, now more easily than ever with the Embroidery Couching foot.

The Embroidery Couching Foot set comes with 2 different yarn weights, as well as a yarn guide arm that attaches to the extra spool pin hole on the top of the machine.

The PC-1 foot, for light size yarn; or PC-2 foot, for medium size yarn. The feet are also easy to thread, with an open toe and plate design.

PART NO. 202316004 PRICE £40.00



EMBROIDERY HOOP SQ14b

The SQ14b hoop has a maximum embroidery area of 5.5" x 5.5" (140mm x 140mm).

PART NO. 864406002 PRICE £65.00



EMBROIDERY HOOP RE20b

The RE20b hoop has a maximum embroidery area of 7.9" x 5.5" (140mm x 200mm)

PART NO. 864405001 PRICE £76.00



EMBROIDERY HOOP RE10b

The tiny hoop, just 7.9" x 11" (100mm x 40mm) is perfect for embroidering small areas.

PART NO. 864407003 PRICE £54.00



HAT HOOP HH10b

Add creative embroidery to caps and visors with this very clever Hat Hoop. (Use in conjunction with RE20b hoop).

(A clever attachment)

PART NO. 200335003 PRICE £142.00



Spool Stand - See page 17

Memory Craft 11000 & 11000SE

FREE ARM HOOP (FA Hoop)

The Free Arm Hoop is just 2" x 2" (50mm x 50mm) making it perfect for embroidery on cuffs and shirt sleeves and on any tight spaces where you would normally have to take the item apart

(No more struggling with this little hoop)

ie mere en agginig mai ane mae neep)							
	PART NO.	860402006	PRICE	£54.00			



HAT HOOP

Add creative embroidery to caps and visors with this very clever hat hoop. (Used in conjunction with the RE Hoop).

(A clever attachment)

PART NO.	200335003	PRICE	£142.00
----------	-----------	-------	---------



MACRO HOOP (MA Hoop)

The Macro Hoop allows you to sew large scale embroidery designs without re-hooping the fabric. This hoop is an "overlap" or multi position hoop which has a 200 \times 280 mm area.

Designs need to be created or downloaded which are specifically intended for use with the Macro Hoop as they are split into sections with each section being stitched separately

PART NO.	860403007	PRICE	£87.00



RECTANGULAR HOOP (RE Hoop)

A Rectangular Hoop is available for the Memory Craft 11000. It has an embroidery field of 5.5° x 7.9° (140mm x 200mm) adding yet another size option especially for the longer or wider designs which cannot be achieved with the standard hoop. (The RE hoop is a necessary addition to your collection if you wish to use the

 Janome "Hat Hoop" insert)
 PART NO.
 860421001
 PRICE
 £54.00

/		1
	. 4	/

SQUARE HOOP (SQ Hoop)

Square is the best shape for embroidery and measuring 8" x 8" (200mm x 200mm).

PART NO.	860801009	PRICE	£54.00
----------	-----------	-------	--------



STANDARD HOOP (ST Hoop)

Measuring 5" x 4" (126mm x 110mm) the standard hoop is the optimum size for 80% of commercial embroidery designs.

F	PART NO.	860802000	PRICE	£54 00



Spool Stand - See page 17

MC 10001 / 10000 / 9700 / 9500 / 350E / 300E

CLOTHSETTER 10000

The optional clothsetter gives placement accuracy. The Clothsetter 10000 is indispensable for accurate positioning of a single design within any one individual hoop, as well as accurate matching when stitching larger designs that require multiple hoopings.

(Take the guesswork out of designing)

PART NO.	850402005	PRICE	£76.00



FREE ARM EMBROIDERY HOOP C

The tiny Free Arm Hoop, just 2" x 2" (50mm x 50mm) allows you to embroider in tight places like cuffs and shirtsleeves without taking the item apart.

PART NO. 850803000	PRICE	£54.00
--------------------	-------	--------



GIGA HOOP D

The Giga Hoop allows you to sew large scale embroidery designs without re-hooping the fabric. This hoop is an "overlap" hoop which has a 230×200 mm area.

Designs need to be created or downloaded which are specifically intended for use with the Giga Hoop as they are split and rotated with each side being stitched separately.

PART NO.	850406009	PRICE	£87.00



HAT HOOP

Add creative embroidery to caps and visors with this very clever Hat Hoop (use in conjunction with hoop B).

(A clever attachment)

ninent)				
	PART NO.	200335003	PRICE	£142.0



LARGE HOOP B

Our large, rectangular Large Hoop B measures $5.5^{\circ} \times 7.9^{\circ}$ ($140 \text{mm} \times 200 \text{mm}$) – perfect for longer (or wider) designs. It handles the larger memory cards, PC design cards and built-in designs.

PART NO	850802000	PRICE	£54 00



SPRING LOADED HOOP F

This 5° x 4.3° (127mm x 110mm) embroidery hoop is specifically designed for thick, bulky fabrics such as terry cloth or quilts.

(Make hooping easier)

PART NO	850411007	PRICE	£76.00



STANDARD HOOP A

At 5" x 4.3" (126mm x 110mm), Standard Hoop A is the optimum size for 80% of

commercial embroidery designs.				
	PART NO.	850801008	PRICE	£54.00



Spool Stand - See page 17

CoverPro Series

The Janome CoverPro series of machines are dedicated Cover Stitch machines. They are especially suited to stretchy fabrics such as knits, lycra, stretch lace etc. as well as the new blends of traditional woven fabrics which have a certain percentage of stretch added. These machines can produce a wide 6mm tripleneedle cover stitch, a wide 6mm double-needle cover stitch, a narrow 3mm cover stitch and also have a chain stitch which is ideally suited as a decorative stitch. As with all sewing machines they have a range of optional feet and accessories which are designed to make your sewing easier, more professional, and therefore more enjoyable. Please note that the CoverPro series do not use standard sewing needles and only the needles listed below should be used. These are available with 5 needles in the packet.



ELX705 ASSORTED NEEDLES.	PART NO.	795802108	PRICE	£8.00
ELX705 SIZE 12	PART NO.	795807103	PRICE	£8.00
ELX705 SIZE 14	PART NO.	795808104	PRICE	£8.00
ELX705CF ASSORTED NEEDLES	PART NO.	797815007	PRICE	£8.00

ADJUSTABLE SEAM GUIDE

The adjustable seam guide is used to sew perfectly placed seams with accurate spacing

	PART NO.	795806102	PRICE	£21.00
--	----------	-----------	-------	--------



BINDER FOOT WITH GUIDE

The clear view foot means improved visibility. A clear version of the existing metal binder foot has been made, the shape has been improved and guides have been added for ease of use.

PART NO.	796402004	PRICE	£21.00



CENTRE GUIDE FOOT

Keeping straight sewing lines is not always easy. The Centre Guide foot would certainly help to eliminate the problem. Use it for lining up the centre of a two or three needle stitch with a previously sewn seam.

PART NO.	795819108	PRICE	£27.00	



CLEAR VIEW FOOT

As the name suggest, the Clear View foot gives you a better view of what you are sewing. Especially useful for decorative stitching it can also be used with any of the

JOVETT TO attachinents.				
	PART NO.	795818107	PRICE	£27.00



ELASTIC GATHERING ATTACHEMENTS

Allows easy attachment of elastic tape for waists and cuffs, which is especially useful for

making un	dergarments and children	s ciothing.			
NARROW	5mm – 8.5mm	PART NO.	795816105	PRICE	£27.00
WIDE	9mm - 13.5mm	PART NO.	795817106	PRICE	£27.00



HEMMING GUIDE

A perfect addition to the CoverPro the hemming guide folds over a consistent width of

IS	/ to form hems, cuits ar	a otner iiri	iisnea eages.		
	PART	NO.	795839104	PRICE	£43.00



The Tape Binder is ideal for finishing and covering the raw edges of stretch fabrics giving them a truly professional look. There are two tape binders. One for 1/4" (0.8cm) tape and one for 3/4" (1.2cm)

NARROW TAR	PE 32mm – 8mm	PART NO.	795838103	PRICE	£98.00
WIDE TAPE	42mm - 12mm	PART NO.	795844009	PRICE	£98.00



TAPE STAND

The Tape Stand for Tape Binder works great since the tape is supplied at the same height to the tape guide of the binder set, it feeds smoothly even with very soft fabric allowing beautiful finishes to be achieved. The height of the tape plate holder can be adjusted to your preference. By aligning the height with the tape guide, you can supply tape without it sagging.

PART NO.	202323004	PRICE	£32.00



Designed specifically for the CoverPro machine, the Extension Table snaps into place and is extremely stable. Measuring 11%" x 8" (295mm x 205mm)

(Ideal when working on larger projects)

PART NO.	795812008	PRICE	£43.00



Memory Craft 1600P Series & HD9

The HD9, Memory Craft 1600P and 1600PQC are three of the Janome Professional Series sewing machines. They are dedicated straight stitch machines with aluminium bodies and longer arms that provide approximately 50% more working space than the average machine. These two industrial quality sewing machines have high powered motors which can sew up to 1600 stitches per minute, twice as fast as the average machine. They are flatbed machines styled for those bigger projects such as home furnishing, bridal wear and the ever popular quilting. They have industrial quality tension unique automatic thread cutter, knee lifter and many more wonderful features and come complete with a large extension table. They are the ideal machines for the really serious sewing enthusiast who is looking for precise quality straight stitching at double the normal speed. As with all Janome machines they have a range of optional feet designed to make your sewing easier, more professional and therefore more enjoyable. Please note that the HD9 & MC1600P series do not use standard needles and only the ones listed below should be used. These are available with 10 needles in the packet.



HL NEEDLES SIZE 9	PART NO.	767811000	PRICE	£12.00
HL NEEDLES SIZE 11	PART NO.	767812001	PRICE	£12.00
HL NEEDLES SIZE 14	PART NO.	767813002	PRICE	£12.00
HL NEEDLES SIZE 16	PART NO.	767814003	PRICE	£12.00


1/4" RULER FOOT SET (INCLUDING DARNING PLATE)

The ¼" Ruler Foot was specifically designed to use with quilting rulers for ruler work. The key point of the foot is the ¼" cup height which moves smoothly alongside the quilting ruler without allowing the ruler to slide over or under the foot. The needle drops ¼" away from the ruler to create the quilting line.

PART NO.	767441005	PRICE	£54.00

1/4" SEAM FOOT

A popular foot with patchworkers for that essential ¼" seam. The guide on the foot enables you to sew a perfect ½" seam allowance, quickly and accurately. Great for piecing quilts and also for topstitching.



ADJUSTABLE SEAM GUIDE

This accurate seam guide provides an easy reference for seam allowances helping you to sew faster and with more confidence. Place the edge of your fabric up against the raised edge of the guide and just sew.

|--|

ADJUSTABLE ZIPPER FOOT

The adjustable zipper foot makes insertion of the standard zips easy and more professional. Ideal for all types of standard zips from fine ones to heavy duty zips. Also useful for piping as it can be adjusted to fit snugly against the cord when attaching commercial piping or when covering your own piping.

PART	NO.	767408011	PRICE	£29.00

BOBBIN (METAL)

There are several types of bobbins on the market and using the incorrect size and type of bobbin can affect stitch quality and could possibly damage the machine. The metal bobbin is suitable for large professional level 1800 earies machines and 190

	boddin is suitable for	Janome professional-level	1600 series machi	nes and HD9.	
ſ	MC1600P - ONLY	PART NO.	761094104	PRICE	£1.40
	HD9 V1.0 - ONLY	PART NO.	770591001	PRICE	£6.50
	HD9 V2 - ONI Y	PART NO	767860107	PRICE	£6.50

CONCEALED ZIPPER FOOT

Good quality ready to wear garments will often have an invisible zip fitted. These zippers are often neglected by the home dressmaker which is a great pity because they can ensure success every time. Invisible zips are suitable for all fabrics from fine silk jersey through to suit weight wool's and tweeds, once fitted, they will be virtually invisible and will merely look like part of the seam.

		PART NO.	767410016	PRICE	£29.00

CONVERTIBLE FREE-MOTION QUILTING FOOT SET

Made specifically for the HD9 & 1600P Series of machines, this is an industrial shank version of the popular convertible free-motion foot set. The set includes the Foot Holder, Open Toe and Closed Toe interchangeable feet and a Darning Plate for table top free-motion quilting. The feet are streamlined for improved visibility and the industrial construction reduces vibration and provides professional level durability. The clearance between the foot and the fabric can be adjusted with the top screw so that the foot simply skims the surface of the fabric without impairment.

















CONVERTIBLE FREE-MOTION FRAME QUILTING SET

More and more Quilters are now using Quilting Frames with the HD9 & 1600P Series and this set has been specifically designed to support this. The set consist of a ¼" Ruler Foot and an Open-Toe Frame Quilting Foot.

The \mathcal{N}'' Ruler Foot. This foot has a $\tilde{\mathcal{N}}''$ diameter and a high heel at the back and is designed to accommodate the use of \mathcal{N}'' thick rulers and the long arm quilting templates when free-motion quilting.

The Open-Toe Frame Quilting Set. The opening on this foot faces "sideways" so as to face the quilter at the handles of the quilt frame.

(Use in conjunction with Convertible Free-Motion Quilting Foot Set Part No. 767433004)

PART NO.	767434005	PRICE	£23.00

DITCH QUILTING FOOT

The Ditch Quilting Foot is designed with a centre position metal blade. This will follow your seam lines precisely allowing perfect "in the ditch" quilting.

PART NO. 767824109 PRICE £29.00

EMBROIDERY / DARNING FOOT WITH NEEDLE PLATE (STANDARD)

This foot is used for 'freehand' embroidery, stippling and daming to ensure proper stitch formation, minimize skipped stitches and puckering and also to protect your fingers whilst you move your fabric freely under the needle. The MC1600P does not have a drop feed so the needle plate clips easily onto the existing needle plate to cover the feed teeth.

PART NO.	767409012	PRICE	£38.00

EMBROIDERY / DARNING FOOT WITH NEEDLE PLATE (HEAVY DUTY)

Sometimes sewing heavier fabrics can affect the flow of your stitching. The MC1600P has an additional embroidery darning foot and needle plate to eliminate any such problems. The embroidery foot is equipped with a pressure screw to allow you to adjust to the fabric being used. The needle plate is a screw on type giving it more stability when using heavier fabrics.

PAR	T NO.	767827009	PRICE	£47 00

EVEN FEED FOOT

The Even Feed Foot, sometimes referred to as the walking foot, is designed with a set of feed dogs (teeth) which allow the fabric to feed without shifting or slipping and eliminates the problem of the under layer of fabric coming up short.

PART NO.	767403016	PRICE	£65.00

HD ROLLER FOOT

This innovative new foot can smoothly control materials such as leather and vinyl which are prone to catch in the feed dogs. When using this foot, the base of the needle is clearly visible, making your work easier.

PRICE £35.00 202418007 PRICE	£38.00
------------------------------	--------

NARROW STRAIGHT STITCH FOOT

The Narrow Straight Stitch Foot is an ideal option to the standard presser foot. It is a perfect aid when sewing piping or flanged trims and allows you to get up close giving you that neat professional finish.

PART NO.	767406019	PRICE	£29.00

STRAIGHT STITCH FOOT & NEEDLE PLATE

Another useful sewing aid is the Straight Stitch Foot with the special needle plate for sewing fine fabrics. Fine delicate fabrics sometimes need a little bit of extra care and this set is the perfect answer.

PART NO.	767405018	PRICE	£29.00

TAPING FOOT

The Taping Foot helps to attach seam tape binding when sewing garments in knit and stretch fabrics. Use it on shoulder seams and armholes to prevent stretching. This foot can also be used to attach bias tape. The measuring hatch marks on the foot help to make an accurate binding width of 5mm – 20mm.

PART NO.	767412018	PRICE	£29.00

ULTRA GLIDE FOOT

The Ultra Glide Foot is molded from a special resin allowing easier sewing of fabrics that may otherwise stick to the standard metal foot such as ultra-suede, vinyl, faux leather, plastic etc.

PART NO	767404028	PRICE	£29 00

VELVET FOOT

The perfect foot to use when sewing velvet, draylon and densely napped fabrics. The velvet foot will prevent the pile of the fabric from being flattened and will help to feed it through smoothly and evenly

PART NO. 767	407010 PRICE £37.00
--------------	---------------------





















Felting Machines

The Janome needle felting machines "FM725 and Xpression" have opened up a host of creative opportunities for those who love to create original designs with new techniques.

These embellishing machines work without thread, bobbins or tensions and have the same basic shape as a conventional machine but that is where the similarity ends. They work by using barbed needles that travel down through the layers of fabric and decorative yarns and as they penetrate, they will pull fibres from the top layers and push them down through the base fabric meshing them together.

The fibres mingle to create new colour and texture combinations that simply cannot be achieved with embroidery, appliqué or any other kind of needle work. In needle felting there is no "right side" or "wrong side". Whether you push the fibres through from the front or the back depends on the effect you are trying to achieve. By simply moving the layers under the needle you can quickly create beautiful surface embellishment and every design will be unique. You can work with a multitude of fabrics such as wool, felt, wool roving, yarn, ribbon, silk, cotton and more.

Only Janome has multiple needle options to meet the variety of felting and embellishing projects for all users from beginners to advanced felters.



5 NEEDLE FIXED UNIT

Pre-set needles for greater safety and durability plus easy replacement for those who have difficulty replacing individual needles. (All needles are standard type)

5 Needle Fixed Unit PART NO. 725607104



EXTENSION TABLE

A great addition to the felting machines is this large extension table. This fits snuggly against the machine giving a much larger work surface and giving extra support for all your felting projects.

nts 23½" x 15¾" (60cm x 40cm)

dour ciricinto 20/2 X 10/4	(OUCHI X TOCHI)			
	PART NO.	725813002	PRICE	£87.00



NEEDLES

Single needle refille

onigie needle reilio.				
Single Standard Needles (Pack of 10)	PART NO.	725807003	PRICE	£27.00
Single Standard Needles (Pack of 3)	PART NO.	725811000	PRICE	£11.00
Single Fine Needles (Pack of 10)	PART NO.	725831006	PRICE	£27.00



SINGLE NEEDLE UNIT


For fine detail and sculpting. Complete with standard needle but can also be used with fine needles

Single Needle Unit	PART NO.	725810009	PRICE	£14 00



SPECIAL NEEDLE KIT

a presser foot to accommodate the larger head of the needle unit. Includes five extra needles (all needles are standard type.) Can also be used with fine needles.





Needles

No matter how advanced or sophisticated the sewing machine has become the basic principle of selecting the correct needle to be used must still apply. Quite simply, the finer the fabric the finer the needle, the heavier the heavier the needle, but whether fine or heavy it is important to replace your needles regularly.

It is surprising how quickly needles can blunt especially when using synthetic fabrics so you should change your needle after each project. Make sure that you throw away your used needles and do not keep them for use at a later date, remember a blunt needle will not only damage the fibers in your fabric but will also cause skipped stitches and possible puckering.

Choosing the correct type of needle for the fabric you are using is essential if your stitching is to be perfect, but a certain amount of confusion is still experienced by many sewers when trying to make this choice. With this in mind, we have compiled a comprehensive guide to needles which is hoped will eliminate this problem.

STANDARD NEEDLE (15 x 1)

This needle type has a slightly rounded point that is quite sharp and used for general sewing of most knit and woven fabrics.

UK SIZE	METRIC SIZE	PART NO.	PRICE
10	70	990109000	£3.60
12	80	990111000	£3.60
14	90	990114000	£3.60
16	100	990116000	£3.60

DENIM NEEDLE (15 x 1E)

It has an acute point, slender eye and a stronger shaft. Use when sewing tough, heavyweight fabrics such as denim and canvas. A regular share-point needle can cause crooked stitches on dense fabric.

UK SIZE	METRIC SIZE	PART NO.	PRICE	
Assorted (14 & 16)	90/100	990416000	£6.00	

TOPSTITCHING NEEDLE (15 x 1ST)

The eye and thread groove of this needle is twice the size of a regular 11 and 14's needle so as to accommodate heavy top stitch thread, also useful when using lurex threads. Janome's top stitch needle also has a pierce point to produce perfectly straight topstitching.

UK SIZE	METRIC SIZE	PART NO.	PRICE	
Asstd. (11&14)	75/90	990500000	£6.00	

RED TIP NEEDLES

The large eye accommodates heavier threads, pampers delicate metallics that tend to shred and split and makes needle threading

UK SIZE	METRIC SIZE	PART NO.	PRICE
14	90	990314000	£6.00

PURPLE TIP NEEDLES

Used for sewing thick fabric, denim and across the hem to prevent skipped stitches.

UK SIZE	METRIC SIZE	PART NO.	PRICE
14	90	202122001	£6.00

BALLPOINT NEEDLE (15 x 1SP)

The rounded tip slips between yarns rather than piercing them to eliminate damage in knit fabrics. Use this needle when working on coarse knits, interlock knits and other fabrics that tend to run if snagued.

UK SIZE	METRIC SIZE	PART NO.	PRICE
11	75	990211000	£6.00
14	90	990214000	£6.00
Asstd. (11 & 14)	75/90	990200000	£6.00

LEATHER NEEDLE (15 x 1LL)

Shaped like a wedge at the point this needle gives superior piercing power for unyielding fabric such as real leather, suede or heavy vinyl. It makes a clean, large hole as it enters the fabric. Synthetic leathers and suedes can and should be sewn with standard needles. A leather needle leaves unnecessarily large holes and weakens seams.

UK SIZE	METRIC SIZE	PART NO.	PRICE
Assorted (14 & 16)	90/100	990600000	£6.00

BLUE TIP NEEDLES

This particular needle is a Janome specific and is identified by the blue shank. Its design is unique as it has a pierce point plus a slightly longer than normal thread groove (scarf). This needle will cure skipped stitches and puckering in any problem fabric especially synthetics. Although only available in size 11 it is compatible with a vast majority of fabrics.

UK SIZE	METRIC SIZE	PART NO.	PRICE
11	75	990311000	£6.00

QUILTING NEEDLES

A tapered point for stitching through multiple layers and across intersecting seams makes this needle unique. It prevents damage to sensitive, expensive materials used in quilting.

UK SIZE	METRIC SIZE	PART NO.	PRICE
11 & 14	75/90	990315000	£6.00

TWIN NEEDLE

Used for decorative sewing, topstitching and pintucks. Two needles are mounted on a single shank. When using the 2mm twin needle for decorative stitching the maximum stitch width must be no more than 6mm.

UK SIZE	METRIC SIZE	PART NO.	PRICE
2mm	90	820828008	£6.00

CUTWORK NEEDLES

Pack of 4 replacement cutwork needles

PART NO.	PRICE
202200004	£54.00

Stabilisers

IRON ON STABILISER BACKING

It is important that the embroidery produced by the Memory Craft Machines should always look perfect, therefore, it is essential that the correct notions are used to achieve this result.

Many fall into the trap of using interfacings to support their fabric but they are not suitable as a backing support for your embroidery. Interfacings are designed specifically for dressmaking, they are placed in between two pieces of fabric (i.e. collars, cuffs) to add support without stiffness and therefore they have a certain amount of give.

Embroidery however needs stabiliser fabric to avoid puckering and it is for this reason that we recommend the Janome stabiliser which, whenever possible should be ironed on. This will stabilise the fibres of your fabric and prevent distortion. In the case of some designs where there is heavy embroidery stitching it may be necessary to use two or more layers of stabiliser.

Ensure that the whole area of the fabric being put into the hoop is covered; this will also prevent the fabric from being stretched by the hoop itself.

Once your design is completed, the stabiliser can be torn away. If you experience a problem when tearing away the stabiliser, run a warm iron over it and this will help it come away from the fabric much more easily. It is important that you think in terms of **stabilisers** as opposed to **interfacing** in order to achieve the kind of beautiful embroidery you expect from your Memory Craft.

The stabiliser is white and comes on a roll 10 metres x 35cm.

PART NO.	BB66110	PRICE	£17.60

SOLVY WATER SOLUBLE STABILISER

Certain fabrics require extra attention when embroidering designs on them with Memory Cards. Fabrics such as toweling, velvet/draylon and knitwear all have the added problem of pile on the right side. To prevent the pile from spoiling your embroidery designs it is important that you keep it down. This is done by putting a layer of wat souble stabiliser on top of your fabric as you place it in your embroidery frame. The embroidery stitches will then sit on top of the pile as opposed to getting embedded into the pile and will result in a more professional finish. The water soluble stabiliser can then be tom away and any residue left can be removed by dabbing it with cold water.

The water soluble stabiliser comes on a roll 10 metres x 33cm

	PART NO.	WS48610	PRICE	£17.60	

SUPER SOLVY WATER SOLUBLE STABILISER

Super Solvy is a heavier water soluable stabiliser. It is twice as thick, strong and heavy as the standard water soluable stabiliser and is ideal for such projects as the Sue Box stand alone lace designs.

The super solvy comes on a roll 3 metres x 33cm

PART NO.	US40403	PRICE	£18.70	

Threads

EMBROIDERY THREADS - £3.85 EACH

EMBROIDE	KY THREADS - £3.85 EA	101				
J-207001	White		J-207224	Bamboo	J-207250	Emerald Green
J-207002	Black		J-207225	Xmas Red	J-207251	Peacock Green
J-207003	Gold		J-207226	Xmas Green	J-207252	Dark Grey
J-207201	Pink		J-207227	Pale Aqua	J-207253	Ivory White
J-207202	Red		J-207228	Baby Blue	J-207254	Hazel
J-207203	Orange		J-207229	Powder Blue	J-207255	Toast
J-207204	Yellow		J-207230	Bright Blue	J-207256	Salmon
J-207205	Dark Brown		J-207231	Slate Blue	J-207257	Cocoa Brown
J-207206	Bright Green		J-207232	Navy Blue	J-207258	Sienna
J-207207	Blue		J-207233	Salmon Pink	J-207259	Sepia
J-207208	Purple		J-207234	Coral	J-207260	Dark Sepia
J-207209	Pale Violet		J-207235	Burnt Orange	J-207261	Violet Blue
J-207210	Pale Yellow		J-207236	Cinnamon	J-207262	Blue Ink
J-207211	Pale Pink		J-207237	Umber	J-207263	Sola Blue
J-207212	Peach		J-207238	Blond	J-207264	Green Dust
J-207213	Beige		J-207239	Sunflower	J-207265	Crimson
J-207214	Brown		J-207240	Orchid Pink	J-207266	Floral Pink
J-207215	Wine Red		J-207241	Peony Purple	J-207267	Wine
J-207216	Pale Sky		J-207242	Burgundy	J-207268	Olive Drab
J-207217	Sky		J-207243	Royal Purple	J-207269	Meadow
J-207218	Yellow Green		J-207244	Cardinal Red	J-207270	Mustard
J-207219	Olive Green		J-207245	Opal Green	J-207271	Yellow Ocher
J-207220	Silver Grey		J-207246	Moss Green	J-207272	Old Gold
J-207221	Grey		J-207247	Meadow Green	J-207273	Honey Dew
J-207222	Ocean Blue		J-207248	Dark Green	J-207274	Tangerine
J-207223	Beige Grey		J-207249	Aqua-marine	J-207275	Canary Yellow

EMBROIDERY THREAD (FLUORESCENT) - £3.85 EACH

F806	Baby Pink	F816	Orange	F827	Lemon	
F809	Pink	F817	Vermillion	F828	Green	
F811	Salmon Pink	F820	Yellow			

EMBROIDERY THREAD - BOXED (26 Embroidery Threads Plus 1 White Bobbin Thread)

J-207000	Embroidery Thread – 27 spool – Box 1	£82.00
J-207200	Embroidery Thread – 27 spool – Box 2	£82.00
J-207300	Embroidery Thread – 27 spool – Box 3	£82.00

BOBBIN THREAD

When using embroidery threads on your machine it is essential that your bobbin thread is compatible if you are to avoid tension problems. Embroidery thread is much finer than normal sewing thread and it is therefore important to use a quality branded bobbin thread to compliment it. This will eliminate the bulk caused on the underside of your stitching adding to the overall appearance.

J-209-1	Bobbin Thread Black – 800m	£7.70
J-208-10C	Bobbin Thread White – 1000m	£11.00
J-208-16C	Bobbin Thread White – 1600m	£15.00

TRANSPARENT THREAD

T001	Transparent Thread for Overlockers 1000m	£7.00

Overlocking Feet & Accessories

Overlockers have varied over the years and so have the feet and accessories available, the later models obviously having the larger range of extra feet to choose from.

The following table is meant as a guide only but if you are not sure of any of the feet and accessories listed, please speak to your stockist, quoting your number, or phone the Janome help line on 0161 666 6006.

OVERLOCK MODEL NUMBERS	CATEGORY
103 / 203 / 303	Α
304D / 134D / 234 / 234D	В
334 / 334D / 434D	С
204D / 504D / 6234XL / 634D / 644D / 744D / 8200D / 9102D / 9200D / 9	9300DX D
AirThread 2000D Professional	E

	CATEGORY	CATEGORY	CATEGORY	CATEGORY	CATEGORY
ITEM	Α	В	С	D	E
Beading Attachment	N/A	N/A	N/A	202041005	202041108
Blind Stitch Foot	202040004	202040004	202040004	202040004	202040004
Cloth Guide	N/A	N/A	N/A	202038009	202038009
Cording Foot (A) – i.e. fishing line	202034005	202034005	202034005	202034005	202034005
Cording Foot (B) - i.e. heavier cord	202035006	202035006	202035006	202035006	202035006
Elastic Gathering Attachment	N/A	N/A	N/A	202037008	202037008
Gathering Attachment	N/A	N/A	N/A	202036007	202036100
Gathering Foot	N/A	200248101	200248101	200248101	200248008
Piping Foot Set (1/8" & 3/16")	N/A	202039000	202039000	202039000	202039000
Taping Attachment	N/A	N/A	202033004	202033004	N/A

BEADING ATTACHMENT

The beading Attachment comprises of a special sewing foot and guide enabling you to sew strung beads onto the edge of your fabric. Especially attractive for bridal wear.

sew straing beads onto the eage of your lab	ic. Especially attract	ive ioi bildai i	wcai.
PART NO	202041005	PRICE	£30.00
PART NO). 202041108	PRICE	£30.00



BLIND STITCH FOOT

Blind Hemming is never an easy technique and demands practice and patience. It is possible to use your overlocker to blind hem and a blind hem foot is equipped with a guide to help keep your stitching straight.

alac to ficip itcop	your outoming	ou digite.			
		PART NO	202040004	PRICE	£42 00



CLOTH GUIDE

As its name suggests, a guide to help you keep your seams straight as you sew.

İ	PART NO	202038009	PRICE	£30.00



CORDED FOOT A

If your overlocker is equipped with a rolled hem facility then you can make great use of the cording foot A. Cording Foot A is ideal for bridal and evening wear and allows you to insert fine fishing line whilst rolling the edge of your material giving you a beautiful firm but flexible finish.

PART NO	202034005	PRICE	£30.00



CORDED FOOT B

Corded Foot B is used in conjunction with the narrow hem and allows you to insert decorative cording as you stitch. This will give beautiful finished edges to linen, table linens etc.

PART NO.	202035006	PRICE	£42.00



ELASTIC ATTACHMENT

Stitching on elastic can sometimes be a little tricky especially when you have to stretch your elastic to size. The elastic foot will go some way to making this technique a little easier to handle.

PART NO.	202037008	PRICE	£30.00



EXTRA WIDE TABLE

This extra wide extension table fits snuggly against the machine giving a much larger work surface, giving extra support for all your overlocking projects. **Measurements** $10^{5}k^{\alpha} \times 8^{5}k_{s}^{\alpha}$ (2Tcm x 20.5cm)

Suitable for 8002D / 9200D / 9300D models ONLY

PART NO.	202438106	PRICE	£43.00



GATHERING FOOT

Take the hassle out of gathering by doing it on your overlocker with the gathering foot. Use it together with the differential feed and create wonderful even gathers. Especially

useful when gathering large amounts of fabric i.e. bed linens, bridal gowns etc.

PART NO. 200248101 PRICE £30.00



GATHERING ATTACHMENT

There are some projects where you need to attach gathers to a flat piece of fabric i.e. valance sheets etc. Why not gather and attach all in one easy operation? With the help of the gathering foot and the gathering attachment this tedious task is taken care of in half the time.

PART N	O. 202036007	PRICE	£30.00



PIPING FOOT SET

If ready made piping is not available or if you just want to make your own, the piping feet are ideal, making the task quick and easy. The set contains two feet, $1 \times {}^{1}/_{8}$ " and $1 \times {}^{2}/_{18}$ " and $1 \times {}^{2}/$

PART NO.	202039000	PRICE	£42.00



TAPING ATTACHMENT

This attachment consists of a taping foot and a tape reel and is useful when sewing gaments in knit or stretch fabric. It will help to feed seam binding tape when sewing shoulder seams and armholes in order to prevent stretching in these areas.

|--|



Hints & Tips

Concealed Zipper Foot

Good quality ready-to-wear garments will often have an "invisible zip "fitted. Unfortunately these zippers are sometimes neglected by the home dressmaker which is a great pity as they can ensure success every time and are so easy to fit. Concealed zips will always add that 'professional finish' to all your garments and with Janome's Concealed Zipper Foot, this professional technique is made even easier to achieve. Concealed zips are suitable for almost all fabrics from fine silk jersey through to suit weight wools and tweeds. Once fitted they will be virtually invisible and will merely look part of the seam.

The Concealed Zipper foot has grooves on the underside through which the teeth of the zipper will slide allowing the needle to stitch almost underneath them. The zipper itself has teeth on the underside so when closed all that is seen is the actual zip pull.

A basic guide on fitting your concealed zipper.

The zip is inserted before the seam is stitched so overlock the edge of your fabric before attaching the zip.

- Mark the seam line on your fabric either by tacking or with a marking chalk or pencil
- With the right sides together and the zipper open, pin and tack the right side of the zip to the right side of the garment so that the coil is positioned along the seam line.
- Place the zipper under the concealed zipper foot with the right hand groove of the foot over the zip coil. Secure stitches at the start of the zip, stitch up to the zip pull and then secure end of stitches.
- Pin and tack the other side of the zip along the seam line. Fit the left groove of the foot over the zip coil and stitch towards the zip pull again securing both ends of the zip tape.
- 5. Close the zip then pin and tack the seam below the zip end. Using either your standard sewing foot or zipper foot, carefully lower the needle into the fabric slightly above the last stitch sewn on the zipper tape and just a fraction to the left of the stitching. Stitch from the zip to the hem, securing stitching at both ends. Press seam open.

If preferred you can use a machine stitch to secure the zipper tape to the fabric which would help to eliminate any pull on the zipper itself.

And there you have it, a professional fitting zip every time.

Concealed Zipper Foot - See Pages 7 & 23





Piping Foot

Piping can add interest and definition to seams and edges on garments, soft furnishings, fashion accessories and craft items. Whilst it is often seen as a decorative addition it can also serve as a stabiliser adding shape and control to many projects. Unfortunately, it's not always easy to find suitable ready -made piping cord especially with regard to colour, which leaves you with no other option than to make your own. This option can now of course made easier with the help of the Janome "Piping Foot" which is ideal for covering and attaching piping cord up to 5mm in diameter. This very useful foot is designed with two grooves on the underside which help to hold and cover the piping cord whilst sewing, making the whole process that much easier and more professional.



Fabric to be used for piping must always be cut on the bias. Woven fabrics are ideal cut on the bias and allow the covered piping to shape around curves and corners smoothly. Knit fabrics can also be cut crosswise with the stretch whilst lightweight silks, satins and silk dupion also make for beautiful piping. Some materials however, such as faux leather and suede may not have enough "give" in the crosswise grain to be able to work effectively and as these materials can vary, it is advisable to try them out on a test piece first.

Making and Attaching Piping Cord

- 1. Cut bias strips of fabric wide enough to wrap around the piping cord plus 2.5cm (1") for seam allowance.
- 2. Join the bias strips as necessary using a 1/2" seam as shown in diagram below.
- Place the cord to the wrong side of the bias strip and fold the strip around the cord matching the fabric edges. Place under the piping foot making sure that it sits into the relevant groove.
- Set machine to straight stitch. Stitch close to the cord adjusting the needle position to move the stitch closer if necessary.
- 1. Cut bias strips wide enough to wrap the piping cord plus 3/4" (two 3/8" seam allowances).
- 2. Join bias strips as necessary using a 1/4" seam. An easy way to do this is as follows:

Cut the ends of the strips at right angles.

Place right sides together at right angles.

Stitch on the straight grain as shown.

Press open and trim seams to 1/4".

Now you have your own "Custom Made" piping cord.

Piping Foot - See Pages 9 & 23

Adjustable Zipper/Piping Foot

Although the Piping Foot is a handy foot to add to your sewing box it will have limitations when using thicker piping including the heavy jumbo cords. This is when the adjustable zipper / piping foot will be invaluable. This is a very narrow, hinged foot that screws on as opposed to the clip on type foot. Once screwed on it can then be adjusted to fit snugly against the thicker cords. It is certainly one to add to your collection of sewing feet and a perfect partner for the piping foot.

Adjustable Zipper / Piping Foot - See Page 5



Button Shank Plate

The Janome Button Shank Plate is an extremely versatile piece of equipment. It was originally designed to be used when sewing on buttons where a larger thread shank was needed especially for Jackets and Coats. However, it has become increasingly popular as an aid to overcoming the problems of thick seams such as those found on Denim Jeans. Most sewers have experienced the problem of thick seams either when dressmaking or doing home furnishings. When you come to the thick seam you either end up with a run of tiny stitches where you sew over "the hump" or you try pulling your sewing through and risk breaking needles.



The Button Shank Plate Is The Answer.

Sometimes known in America as the "Humper Jumper", once you've tried it you will understand why they gave it this nickname as this clever attachment helps you over all those "humps" caused by thick seams.

Follow these instructions and see the difference this little gadget can make.

Stitch to the point on the fabric where the "toes" of the foot have reached the thick seam and then stop and lower the needle into the fabric. Raise the presser foot and place the Shank Plate under the rear of the foot to bring it level with the seam. The Shank Plate has two ends of varying thickness so use the end that is most suitable to bring you level.

Stitch until half way across the seam then stop and lower the needle into the fabric. Remove the Shank Plate from the rear of the foot and place it in the front of foot. Stitch again until the foot is onto the Plate. Lower the needle into the fabric once more, remove the Plate and continue stitching. You will find that you have stitched over the thick seam very easily and have maintained an even stitch lenoth.


The "Shank Plate" is also useful for working on thick fabric when experiencing difficulties at the start of a seam. Place the Shank Plate at the back of the fabric and under the rear of the presser foot to bring it level, once again using the relevant end of the plate to achieve this. When you begin to stitch you will be able to start easily at the edge of the fabric and again maintain an even stitch length.


And Sewing on Buttons?

Let's not forget what the Button Shank Plate was originally intended for.

When attaching a button to a thicker fabric, such as when making a Coat or Jacket, you need to make a "shank" for the button. When sewing on the button, place the Shank Plate between the button and the fabric as shown in diagram 1. Once the button is stitched, remove the fabric and pull the thread at the end of the stitching to bring the bobbin thread up to the top. Draw both threads between the button and the fabric, wind the threads around the button to form a "shank" and then knot them together to secure the ends. See Diagram 2.

(This is certainly one for your Sewing Box)





Button Shank Plate - See Page 11

Machine Maintenance

We should all be aware of the importance of keeping our sewing machines clean. Each time a needle penetrates the fabric, tiny fragments are torn off which build up under the feed teeth and bobbin holder. Dust and fluff from your sewing thread add to this build up and if not cleaned regularly your machine will become noisy and perform less effectively. If left too long before cleaning, the dust and lint can become impacted between the feed teeth and consequently prevent them from feeding the fabric through so leaving you with an even bigger problem.


It is important to remove the needle plate and the bobbin case at regular intervals, depending obviously on the amount of sewing that you do, and give your machine a thoroughly good clean. Oil if appropriate but do remember that Janome top loading machines are "self oiling "and require no extra oil.


One part of the sewing machine that often gets neglected when cleaning is the area between the "tension discs". Most users don't even realise that this needs to be done, because they can't see them, they don't even think about them. Imagine the two tension discs with thousands of metres of sewing thread skimming between them, threads possibly shredding (especially poor quality threads) metallic threads with all their little bits being stripped off as they go between the discs. It's also important not to remove the top thread from your machine while the presser foot is down as this will skim the thread and leave even more fluff. All of this will eventually result in a build up of dust and lint etc. lodged between the tension discs and rendering them totally ineffective.

Cleaning the Tension Discs.

Use a long bristled lint brush. Unthread the machine and leave the presser foot up as this will automatically release the tension discs allowing the brush to get between them. Brush firmly up and down between the discs. It will also help if you place a piece of thin cotton fabric between the discs, and then lower the presser foot to engage them. Draw the fabric through the discs in the same direction that the sewing thread passes. All dust and lint should now be removed.

Cleaning your machine takes matter of minutes, do not neglect it.





Bobbin Know How

Winding a bobbin is an easy task yet an important element for good stitch quality.

All Janome "top loading" machines use the same plastic bobbins.

Metal bobbins should never be used in these machines as they will interfere with the magnetic hook system and could result in a damaged bobbin case as well as affecting the quality of the stitch. Both plastic and metal bobbins can be used in 'front loading 'machines.

Size of bobbin is also a key factor and with several different sizes available on the market, it is essentials that only Janome bobbins are used in your Janome machines. An "alien bobbin" could affect your stitch quality and ultimately result in bobbin case damage.

A medium speed is recommended when winding your bobbins so that your thread will wind evenly and also to avoid stretching of the thread which can occur when winding at fast speeds.

Tension is also an important element so ensure that your thread is correctly inserted into your bobbin winder tension unit. Without tension your bobbin will wind very loose and uneven. Finally, as always, good quality thread will give the best results.

Plastic Bobbins - See Page 11

Ribbon Embroidery

Ribbon embroidery is a very attractive embellishment and can be used to add detail to soft furnishings such as bed linens and table linens. It is also very decorative for bridal wear, lingerie and even craft work.

It is not a difficult technique but requires a little patience and practice. It is achieved by using ribbon on the bobbin and sewing on the reverse side of the fabric. Depending on which type of fabric used, it may require stabilizing either with tear-away or iron-on stabilizer. If a very lightweight fabric is used you may prefer to use a liquid stabiliser or spray starch.

It is always advisable to do a sew test before proceeding with your project to establish the best preparation.



Note:

This technique can only be used with top loading machines.

Method

You will require 3mm width ribbon

- Wind the ribbon onto the bobbin very tightly and evenly making sure that the ribbon does not twist. When wound it is advisable to put a pin into the end of the ribbon to prevent it from becoming unravelled until you are ready to insert it into the bobbin case.
- Ensure that the beginning end of the ribbon is not protruding snip it close to the bobbin if necessary.
- Place the bobbin into the bobbin holder in the normal way with the ribbon coming
 off the bobbin counter clockwise.
- DO NOT bring the ribbon forward into the tension spring.
- Turn the balance wheel towards you bringing the ribbon up onto the needle plate.
 Leave a short tail.
- · Set the tension to number 6.
- As you will be stitching from the reverse side of the fabric you will need to mark your stitching lines on that side.
- To create the ribbon embellishment, you can use either straight stitch or zig zag. For straight stitch use a centre needle position and a stitch length of 4.

On the samples shown in the picture a zig zag stitch was used with a stitch length of 3 and a width of 3. Other variations can be used, just have fun trying.


It is easy to elaborate further by adding other decorative techniques such as pin tucking and embroidery stitches as shown on the picture above.

Finger Guard

There are many of us who like to encourage our children and grandchildren to sew and take great pleasure in watching their individual styles and creative talents blossom. We also know the importance of safety when young people are using sewing machines especially with regard to "fingers and needles".

Janome can go some way in helping to avoid some of those little accidents with the use of the **Needle Finger Guard**.

This clever safety device will attach to any Janome sewing machine (with the exception of the Mini Range) and help to prevent fingers getting too near the sewing needle.



Easy to Attach

- Loosen the foot holder screw.
- Slide on the finger guard and adjust the position.
- Tighten up the screw.
 It couldn't be easier.

Note: Supervision is still recommended even with the finger guard fitted as it is not a substitute for careful attention when children are using sewing machines.

Finger Guard - Part No. 687803008 @ £2.20

Ultra Glide Foot

Fabrics such as leather, suede, vinyl and plastic coated fabrics are very much in vogue with today's fashions and fashion accessories. However, such challenging fabrics can create certain frustrations when trying to sew them. Some of these fabrics may bind under metal feet often causing problems in consistent feeding and resulting in poor stitch quality.

The answer is the Janome "Ultra Glide Foot". Sometimes called a "Teflon Foot" it is moulded from a special resin and glides over difficult surfaces with ease, improving stitch quality in many problem fabrics.

Excellent for stitching Velcro, it is certainly one to consider adding to your collection.



Ultra Glide Foot - See Pages 10 & 24

Appliqué Foot

Machine Appliqué is a wonderful way to add unique designs to furnishings, fashion and craft.

As with all special sewing techniques, it's important to use the correct needles and threads. But equally important, is using the right presser foot.

The standard satin stitch is generally the one used for appliqué work however, Janome also has a dedicated "Appliqué Foot "in its range of accessories which really makes this creative task so much easier.

As with the satin stitch foot, the Appliqué Foot is made of a clear synthetic material making it lighter and also allowing the extra visibility that is so important when you require the accuracy needed for appliqué. But it also has the added benefit of an elevated heel which allows a close satin stitch to be sewn without it being flattened into the fabric. It's also shorter than a standard foot making it easier for manoeuvring around those tricky curves and corners.

Beautiful appliqué results are possible with this clever little foot

Note:

Because of the elevated heel on the appliqué foot it is only compatible with machines that have the extra heel ledge on the foot holder. (See diagram)





SHOE



Tips for Appliqué

- What's the secret to smooth appliqué pieces? Using stabiliser.
 Place stabiliser beneath the foundation fabric before you begin to appliqué your pieces. This will prevent unsightly puckers that pull at the foundation. Stabiliser is used beneath appliqué foundations to add support and to eliminate puckers and pulling on the fabric as you stitch.
- Use fusible webbing on the pieces to be appliquéd. Fusible webbing, such as "Heat & Bond" is basically a paper backed web of glue that can be fused to fabric turning it into a kind of "iron-on patch. It also acts as a stabiliser making it possible to use a wider variety of fabrics for appliqué including stretch knits.

Appliqué Foot - See Page 5

Easy Button Sewing

Buttons are generally viewed as a practical item in our sewing box and many of us have accumulated a large and varied collection of the over the years both plain and ornate.

Buttons are one of the oldest and most widely used types of fasteners and are generally divide into two basic types, sew-through buttons and shaft buttons.

Other than their obvious use, buttons have become more and more popular with craft enthusiasts and are now often used as an embellishment on fashion accessories such as bags and belts etc. The sew-through type of button has either two or four holes and thread is passed through the holes and the material to bind the buttons in place. This is generally done by hand but it can also be done on your sewing machine using the special Janome button sewing foot. This clever little foot has two rubberised feet that are designed to hold the button firmly in place whilst the needle on your sewing machine swings from left to right through the holes.

Sewing buttons on by machine helps to eliminate any pull on the fabric which sometimes occurs when stitching them on by hand.

How to Use

- · Lower the feed dogs.
- Attach the button sewing foot and select straight stitch.
- Place the button in position on your fabric. It can be held it in place with a piece of low adhesive sticky tape.
- Pace the fabric and button under the presser foot and align the needle with the hole on the left side of the button.
- Sew 3-4 stitches to secure the thread end. (If your machine has an automatic locking stitch you can use this as an option).
- Select the zig-zag stitch. Set the stitch width so that needle clears both holes in the button when moving from left to right. (Always test the width by turning your hand wheel manually towards you before sewing).
- Sew 4- 5 zig-zag stitches then select straight stitch.
- Make sure the needle is aligned with the left hole on the button then sew 3-4 stitches to secure the thread end (or use auto lock stitch)

It's a quick, easy and a much more professional way to sew on buttons and certainly worth a try.

Button Sewing Foot - See Page 6







Twin Needles - Twice the Inspiration

Some sewers are unsure of twin needles, whether they can use one on their machine and if so, what are they used for?

Twin needles are constructed with two shafts on a crossbar that extend from a single shank. They are often used for heirloom sewing, decorative stitching and anywhere where you may require multiple rows of uniform straight stitching such as top stitching or pin tucking. Sizing of twin needles is slightly different than other needles as there are two numbers listed on the packaging. The first number represents the distance between the needles and the second number is the metric needle size.

Setting Up for Twin Needle Sewing

- 1. Setting up the machine for use with twin needle is quite simple. Insert the twin needle into your needle shaft just as you would insert a regular needle. Place your two reels of thread on the spool holders so that the threads come off in opposite directions, one clockwise and the second counter clockwise. This will prevent the threads from possibly tangling as you sew.
- 2. Continue by threading the two needles through the machine following the normal thread path and separating them just before the needles. The left thread will go through the needle thread guide on the left side of the needle and the right hand thread through the right hand thread guide. This will help to keep the two threads separate.
- 3. Thread each thread through the eye of the corresponding needle. Manually turn the hand wheel on the side of the machine towards you to bring up the bobbin thread and you are ready to sew.


Note: Automatic needle threaders cannot be used with twin needle.

If sewing decorative stitching it is important to reduce the width of the stitch to approximately 3mm to prevent the right hand needle from hitting the presser foot. Rotate the hand wheel towards you several times to check that the needle will not hit the foot when forming the selected pattern.

(Some computerised machines have an automatic twin needle setting.)

It's fun to experiment with zig zag and utility stitches and then move on to embroidery patterns. Try using different colours of thread in each needle or even toning threads. You will be amazed at the results.

Twin Needle - See Page 26



Pin Tucks

Pin Tucks are tiny 'false' tucks created by sewing parallel rows of stitching using a 2mm twin needle and a **Pin Tuck Foot**.

Pin Tucks are often associated with Heirloom sewing especially on such items as christening gowns. But they can actually give a new dimension to other aspect of sewing such as fashion garments and home furnishing items like bed linens and table linens.

Using a Pin Tuck Foot with the twin needle helps to space the tucks an equal distance apart. It has multiple grooves on the underside through which the pin tucks can ride as you sew the adjacent rows.



Making Standard Pin Tucks

- Insert the twin needle size 2mm and attach the pin tuck foot
- Select Straight Stitch centre needle position Stitch Length 1.8 – 2.5
- Tension Appx. 7 Pressure 2
- Thread the machine for twin needle sewing making sure that each thread passes through the corresponding thread guide on each side of the needle.
- Mark the fabric for placement of the first row of pin tucks. It
 is essential that that the first row is perfectly straight as it
 will determine the accuracy of the consecutive rows.
- Stitch the first row of tucks with the centre of the pin tuck foot on the marked placement line.
- Stitch the second row of tucks in the same direction and so
 on for all the remaining tucks. Use the edge of the foot
 alongside the previous row of tucks or allow the previous
 row to sit in a groove in the pin tuck foot depending on the
 distance apart that you prefer.





Pin Tuck Foot See Page 9

Making Corded Pin Tucks

Corded Pin Tucks are more distinctive and add an extra dimension to pin tucking. The effect is produced by stitching over fine cord such as perle cotton to create a more raised effect.

Thanks to the Janome **Pin Tuck Cord Guides** this effect is very easy to achieve. There are two guides in the set, one for cord up to 1.5mm in diameter and one for cord up to 2.5mm

- To use: Remove the plastic bobbin cover on the machine and replace it with the chosen Cord Guide.
 Place the cord into the guide.
- Select a straight stitch centre needle position and a tension of approx. 7.
- Place the fabric under the foot making sure that the cord is in position between the twin needles. Hold the thread at the back of the foot and sew slowly. It couldn't be easier.



Note: Pin Tuck Cord Guides are only available for top loading machines.

Pin Tuck Cord Guides See Page 12

Hemmer Foot

The Hemmer Foot, sometimes referred to as the "Rolled Hemmer," has no equal when it comes to finishing the edges of fabrics with your sewing machine. It is designed to create narrow hems, much narrower than you would actually achieve by manual turning and stitching. You will be truly impressed with the tiny, perfect hems that this speciality foot can stitch. The Hemmer Foot is equipped with a scroll shaped feeder on the top and a straight groove on the underside which determines the width of the hem.



There are three sizes of hemmer feet available.

The **2mm** foot is suitable for tiny, narrow hems on lightweight fabrics and the best choice for sewing curves. The **4mm is** also ideal for lightweight fabrics but gives a slightly wider hem. The **6mm** is best on medium to heavy fabrics and creates the widest hem.

Getting Started

Getting the first stitches at the edge of the fabric to be perfect can be a little tricky as the feed dogs will only be partially covered by the fabric and may have a hard time "picking up" when you begin.

Follow this simple technique:

- First sew five or six straight stitches on the end of the fabric to be rolled. (Fig.1)
- Do not cut the thread tails. Leave them so that you can thread them through the Hemmer Foot. (Fig. 2)
- Hold the threads to the back of the foot keeping them taught as you make the first few stitches of the hem. The fabric will feed through the scroll and will roll close to the raw edge of the fabric. (Fig. 3)




Fig 1



Fia 2




Fig 3

Tips for success with the Hemmer Foot

- Choose a needle that is appropriate for the fabric remembering that the needle is
 penetrating three fabric layers as it rolls the edge. A needle that is too large will push the
 fabric down into the hole on the needle plate and could cause delicate fabrics to get caught
 up.
- It is easier to produce a narrow hem on a straight grain edge than on as bias edge. Extra
 care must be taken with a bias edge as it can have a tendency to stretch.
- Use a smaller stitch length for fine fabrics and a longer stitch length for heavier fabrics.
- It is important to have a very neat edge to your fabric with no loose threads. Cutting with a
 rotary cutter will give you a very smooth cut edge.

Hemmer Foot and Hemmer Foot Set - See Page 9

Bias Binder Foot

Attaching bias binding can be a tricky job. Whether you have purchased pre-folded bias binding or you are attaching your own bias strip, it's a task that can be made much easier with the aid of the "Bias Binder Foot".

This handy foot is equipped with a small funnel which folds and guides the binding over the fabric edge before it reaches the needle.

The result is perfectly bound edges.

How to use

- Before attaching the foot to the machine, feed the bias tape into the funnel. Clip the end of the bias tape into a diagonal point to help feed it through.
- As you feed the bias into the funnel, nudge the pointed end of the tape through the narrow end of the funnel using a straight pin.
- Pull the pointed end of the bias tape through the hole and under the foot plate. Attach the foot to the sewing machine.
- Slide the fabric to be bound into the centre of the foot beside the funnel and sew using your selected stitch to attach the binding. While sewing, use your left hand to keep the fabric edge in position in the cone while guiding the bias strip with your right hand. The funnel will feed and fold the bias strip to create perfect bindings.



Keep the bias tapes feeding straight into the binder so that an equal amount of tape is fed
on the top and bottom. Make sure that the fabric doesn't slide out from between the cone
as you sew.

Binding a curved edge

Curved edges require a little more guiding to make sure that the raw edge is evenly bound.

Inside Curve

For softer fabrics or for fabrics that fray, stay-stitch the curved edge to be bound before
inserting the edge into the centre of the cone. As you sew, straighten the edge in front of the
foot making sure that it remains in the cone.

Outside Curve

 When binding an outside curve the fabric can have a tendency to pull out of the cone while sewing. To ensure the edge is completely bound, guide the fabric keeping the edge in line with the needle. Trying to straighten or pulling the fabric will result in a rippled binding.

10mm - 14mm Bias Tape can be used.

Bias Binder Foot - See Page 6

Ultimate Ruffler

The Ruffler has been around for a long time and has changed very little over the years yet it still remains a very popular attachment.

At first sight it may appear bulky and complicated but its innovative design makes it very easy to use. This design allows fabric to be ruffled or pleated both quickly and easily, and with an option to vary the sizes of the ruffles, it's a great timesaver when creating vards of gathered and pleated fabrics.

Designed with a "fork arm" that is placed around the needle screw, the up and down action of the needle bar causes the ruffler blade to move in and out pinching small amounts of fabric and pushing them under the needle to create the pleats and ruffles. There is a lever that controls the fullness of the pleats and ruffles and a screw to control their depth I. As well as creating yards of professional looking pleats, it can simultaneously gather and stitch onto a flat piece of fabric in one simple operation.



There is an easy clip-on Ruffler Attachment to suit most Janome machines.

Tips for Success with the Ruffler



- Make sure that your needle is in securely as some vibration is created when using the Ruffler and could cause it to fall out. Secure it with your screwdriver but don't over tighten.
- Always pull the fabric out from the back to remove rather than towards the front as the teeth on the Ruffler blade could catch the fabric.
- As you gather or pleat your layers, make sure that the seam allowances on your layers are even. It is easy for a layer to slide to the left as you are sewing.
- Remember that your stitch length will affect the regularity
 of the ruffles or pleats, for example, the shorter the stitch
 length the closer the ruffles and pleats, the longer the
 stitch length the wider apart they will be.
- Sew at a steady medium speed.
- The Ruffler is only suitable for light to medium weight fabrics.


Ruffler Attachment - See Page 13

Rotary Even Foot

Most sewing machine presser feet are flat, so what do you when there is significant difference in the height of your fabric on the left of the needle from that on the right such as when finishing hems and edges of thick materials? This is when the unique design of the Rotary Foot comes in to play. It's a "caterpillar foot" which accommodates a left-right tilt as the caterpillars independently grip the fabric giving exceptional control, even over thick seams.

Suitable for most Janome machines with clip-on feet, it's also effective in preventing such fabrics as jersey and knits from stretching or hard to feed materials like leather and vinyl from sticking under the foot.

with some very useful attachments.



This very clever foot also comes complete

BLIND HEM ATTACHMENT



The blind hem attachment enables accurate feeding of the fabric to achieve a consistent blind hem.

BIAS TAPE ATTACHMENT



The bias tape attachment is adjustable and enables you to attach folded bias tape up to 3/4" (20mm) wide.

WIDE ROLLED HEM ATTACHMENTS



The wide rolled hem attachments wide rolled hems to be sewn in the following sizes: ½" (12.5mm), ¾" (20mm) and 1" (25mm)


Rotary Even Feed Foot - See Page 13

ABOUT JANOME

Since 1921 Janome sewing machines have been renowned for quality and reliability at affordable prices. Established in the UK in the 1960's, Janome is now a brand leader with an extensive range of sewing machines and overlockers. Over 2 million Janome machines have been sold in the UK with over 70 million sold worldwide.

Janome adheres to high ethical standards with regards to the use of child labour, safety, pay, terms of employment and working hours. Ethical audits are used and many of these audits are conducted as part of the company's participation in the Ethical Trading Initiative which brings together representatives of government, business, trade unions and human rights groups. Janome believes that its customers have the right to expect that Janome products will provide them with truly aspirational levels of quality and value without exploiting the people who work for their suppliers.

Janome sewing machines are designed for ease of use to encourage all levels of sewing, their aim is to provide customers with an unrivalled level of service.



JANOME

Janome UK Ltd, Southside, Bredbury, Stockport, Cheshire, SK6 2SP Telephone: 0161 666 6011 • Fax: 0161 494 0179 Helpline Tel: 0161 666 6006